

**TYPE APPROVAL OF PACKAGING FOR  
TRANSPORTATION OF DANGEROUS GOODS  
CERTIFICATE NO.: NET19001A**

HOLDER OF CERTIFICATE:

**AB Karl Hedin**

**1704 kg max**




**MANUFACTURER:**

AB Karl Hedin, Box 2008, 737 02 Fagersta, Sweden

**MARKING ON PACKAGING:**

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high. Each LP shall also be marked with maximum permitted stacking load according to ADR 6.6.3.3.1 (as shown in figure to left).

 **50D/Y/MMYY/N/NET19001A-ID/3068/568**

-  : The United Nations symbol
- 50D : Large Packaging, plywood
- Y : Packaging group II and III
- MMYY : To be replaced with the month and year, last two digits, of manufacturer
- N : Norway, the state authorizing the allocation of the mark
- NET19001A - ID : Identification of the LP followed by "ID" to be replaced by the name or symbol of the manufacturer
- 3068 : The stacking test load in kg
- 568 : The maximum permissible gross mass in kg

**PRODUCT:**

Description/ Method of manufacture	Drawings	Material
Screw-constructed plywood crate large packaging	Cube V6 Rev.1 03.04.24	5 layers of plywood, Pine




**DIMENSIONS:**

Volume, l	Internal dimensions: L*W*H, mm	External dimensions: L*W*H, mm	Thickness, mm
434	834*790*675	862*800*838	9

**CLOSING MECHANISM:**

Lid with alternative plastic straps	Producer	Drawings/ Description	Material
Lid	Karl Hedin	Cube V6 Rev.1 03.04.24	5 layers of plywood, Pine
Plastic straps, 3 pc	Fromm Packaging Systems	19 * 1 mm	PET
Plastic straps, 4 pc	Fromm Packaging Systems	16 * 1 mm	PET



**LEGISLATION:**

The approval is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. This certificate is liable to withdrawal at any time, to ensure validation check the published version on the Internet ([www.net17025.com/Sertifisering/UN\\_ADR/cid/30758/](http://www.net17025.com/Sertifisering/UN_ADR/cid/30758/)).

NET issues the certification on described product according to delegated authority from Norwegian NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

**REGULATIONS BASED UPON FOR APPROVAL:**

- UN Recommendations on the Transport of Dangerous Goods.
- ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
- RID, International Regulations on Transport of Dangerous Goods by Rail.
- IMDG, International Maritime Dangerous Goods Code, for sea transport.
- ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
- IATA, Dangerous Goods Regulations, for the air transport.

**TESTS CARRIED OUT:**

- Prototype tests performed and approved according to the above regulations:
- 6.6.5.3.1 Bottom lift test
- 6.6.5.3.3 Stacking test
- 6.6.5.3.4 Drop test

**APPROVAL IS VALID FOR:**

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content	Dimensions, mm	Weight of content, kg
UN 3480, Lithium-ion battery	744*686*679	529

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
NET19001A	24.02.2024	NET	Type approval
NET190TE01	08.04.2024	NET	Technical evaluation
NET190TE02	31.05.2024	NET	Technical evaluation

**VALIDITY:**

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

**TEST STANDARD:**

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

**04.06.2024** CERTIFICATE IS VALID UNTIL:

**30.04.2029**



Mathias Werner  
Certification Officer



Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing Certification*