

**TYPE APPROVAL OF PACKAGING FOR
TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET7903A**

HOLDER OF CERTIFICATE:
Dolav Plastic Products Ltd.

1000 kg max




MANUFACTURER: Dolav Plastic Products Ltd., Kibbutz Dvir 8533000, Israel

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high. The IBC shall also be appropriately marked in accordance with ADR 6.5.2.2 Additional marking, and shall be marked with maximum permitted stacking load according to ADR 6.5.2.2.2.1 (as shown in figure to left).



**11H2/Y/MMYY
N/NET7903A - ID
1800/1000**

-  : The United Nations symbol
- 11H2 : Rigid plastics IBCs, freestanding, for solids
- Y : Packaging group II and III
- MMYY : To be replaced with the month and year, last two digits, of manufacturer
- N : Norway, the state authorizing the allocation of the mark
- NET7903A - ID : Identification of the IBC followed by "ID" to be replaced by the name or symbol of the manufacturer
- 1800 : Stacking load in kg
- 1000 : Maximum gross mass in kg

PRODUCT:

Description/ Method of manufacture

Injection moulded plastic box with lid performed in HDPE, details in report. Strong & long lasting boxes contain a UV additive for protection against long-term sun exposure and suitable for use in cold and hot temperatures.




DIMENSIONS:

Capacity, l	External dimensions: L*W*H, mm	Internal dimensions: L*W*H, mm	Head / Body / Bottom, mm	Drawing
1429	1300*1150*1250	1190*1040*1090	3.5/ 5.1/ 4.6	2800300000

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material
1: 6 pcs of metal locks	Winterhoff GMBH	1860027/ 190085	Galvanized steel
2: Lid with metal locks, 1200 * 1345 mm	DOLAV PLASTIC PRODUCTS COOPERATIVE SOCIETY LTD	2800300072	PE, details in report



LEGISLATION:

The approval is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. This certificate is liable to withdrawal at any time, to ensure validation check the published version on the Internet (www.net17025.com/Sertifisering/UN_ADR/cid/30758/).

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

REGULATIONS BASED UPON FOR APPROVAL:

- UN Recommendations on the Transport of Dangerous Goods.
- ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
- RID, International Regulations on Transport of Dangerous Goods by Rail.
- IMDG, International Maritime Dangerous Goods Code, for sea transport.
- ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
- IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

- Prototype tests performed and approved according to the above regulations:
- 6.5.6.4 Bottom lift test
- 6.5.6.6 Stacking test
- 6.5.6.9 Drop test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction. The content shall not adversely affect the packaging materials.

Content
Solid substances that do not adversely affect the packaging materials

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET7903A	28.05.2024	NET	Type approval

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in ISO 16106.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

11.06.2024 CERTIFICATE IS VALID UNTIL:

30.06.2029



Mathias Werner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification