

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET11404A

HOLDER OF CERTIFICATE:

Quadpak AB

RESPONSIBLE DISTRIBUTOR: Ellepi Box S.R.L., Via Vallà 20, 31030 Altivole TV, Italy

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 6 mm high.

(a) 4G/Y15/S/YR/N/NET11404A-ID

 $\begin{pmatrix} u \\ n \end{pmatrix}$: The United Nations symbol

4G : Fibreboard boxes

Y15 : Packaging group II and III, max gross mass in kg

S : Liquids in inner packaging

YR : To be replaced with the (last two digits of the year of manufacture

: Norway, the state authorizing the allocation of the mark Ν

NET11404A - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description	Manufacturer's joint	Material
FEFCO 0201, slotted type	Glued joint	Corrugated fibreboard, double
		wall board, details in report



DIMENSIONS:

Volume, I	L*W*H, mm	Thickness, mm	Drawing
10.0	229*210*226	4.3	169581/01


Telephone +47 900 17025 VAT No.: 990 793 840 Bank account: 6250.05.22351 E-mail: info@net17025.com Web: www.net17025.com GPS: 59°03'25" N 9°40'70" E





CLOSING MECHANISM:

Tape	Producer	Dimensions, mm	Material
"U"-pattern, 50 mm	ETAB	0.12*50	Etab 810, PP-film
overlap			reinforced with
			crosswave glass fibre
			threads





INNER PACKAGING:

INNER PACKAGING.				
Type	Producer		Dimensions/ Drawing	Material
1: Stand alone pouch	Quadpak AB / Modulp	pac	440*230*105 mm,	OPA/ LLDPE + LLDPE
with spout VG1017 in	AB		Thickness 0.7 + 0.8 mm	
LLDPE				
2: Body/ 38 mm screw	Maierhöfer GmbH		Adapter with membrane/	LLDPE/ PP
cap			605, screw cap/ 606	
3: QCV/ DGV Valve	Espiracle S.L.		X-0148/ X-0194	PE/ Steel/ EPDM
4: CMB Valve	Maierhöfer GmbH		Adapter for CMB	PE/ Steel/ EPDM or NBR
			connector/ 35-2.1	
5: Maxiflow tap	ITW Fastex		TRU-SEAL® MAXIFLOW	PP/ HDPE
			TM HR TAP 3 PC/	
			390-0400	
6: 30G spout in LLDPE	Modulpac AB		30 mm/7300001	PE
7: TRU-Seal std spout in	ITW Fastex		30 mm/396-0248	MDPE
MDPE				







 NET11404A
 Page 2 of 4

 Telephone
 +47 900 17025

 E-mail:
 info@net17025.com

 Web:
 www.net17025.com

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





LEGISLATION:

The approval is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. This certificate is liable to withdrawal at any time, to ensure validation check the published version on the Internet (www.net17025.com/Sertifisering/UN_ADR/cid/30758/).

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content

Liquid in innerpackaging

NET11404A Page 3 of 4

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET11404A	07.12.2023	NET	Type approval
NET11405A	05.01.2024	NET	Additional type test

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:

NET is accredited in accordance with NS-EN ISO/IEC 17025:2017 by Norwegian accreditation. All tests are performed in accordance with NET accredited test method ATM001 including test standards NS-EN ISO 16495:2022 and NS-EN ISO 13274:2013.



BREVIK, NORWAY

13.08.2024 CERTIFICATE IS VALID UNTIL:

Rune Madsen Fink

Control Officer

31.08.2029

VAT No.: 990 793 840

Mathias Werner Certification Officer

Nordisk Emballasje Testing Certification

Alus Weme-

NET11404A Page 4 of 4

Telephone +47 900 17025 Bank account: 6250.05.22351 E-mail: info@net17025.com Web: www.net17025.com GPS: 59°03'25" N 9°40'70" E