

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NETO901C

HOLDER OF CERTIFICATE:

Skanem Rjukan AS

MANUFACTURER: Skanem Rjukan AS, Svaddeveien 162, N-3660 Rjukan, Norway

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be of an appropriate size.

The packaging shall also be appropriately marked with the month of the manufacture. The period of use permitted for the carriage of dangerous substances shall be five years from the date of manufacture of the drum, except where a shorter period of use is prescribed because of the nature of the substance to be carried.

(h) 1H2/X0.03/S/YR/N/NET0901C

: The United Nations symbol
1H2: Plastics drums, removable head

Y0.03 : Packaging group II and III, and max gross mass in kg

S : Solids in inner packaging

YR : To be replaced with the year (last two digits) of manufacture N : Norway, the state authorizing the allocation of the mark

 ${\tt NET0901C-ID} \qquad : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer$

PRODUCT:

| Description | Method of manufacture | Material | Drawing |
|--------------------------|-----------------------|------------------|---------|
| Transport containers for | Injection moulded | Borealis RE420MO | 3233 |
| biological preparations | | | |



DIMENSIONS:

| Volume, I | Weight of drum, g | H*D, mm | Thickness, mm |
|-----------|-------------------|---------|---------------|
| 0.042 | 14 | 119*32 | 1.2 |

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>



CLOSING MECHANISM:

| Screw cap | Producer | Drawing | Material | Gasket | Torque |
|-----------|---------------|-----------|----------|--------|--------|
| 30 mm | Skanem Rjukan | Screw cap | Borealis | Cone | 2 Nm |
| | | | BD950MO | | |



INNER PACKAGING:

| Туре | Dimensions, mm |
|--------------------------------------|----------------|
| Absorbent, pad | 80 * 45 * 2 mm |
| Blod sample bottles, max weight 16 g | Fit container |





LEGISLATION:

The approval is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. This certificate is liable to withdrawal at any time, to ensure validation check the published version on the Internet (www.net17025.com/Sertifisering/UN_ADR/cid/30758/).

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com



REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content

UN3291 and UN3373 provided there is sufficient absorbent material to absorb the entire amount of liquid present. UN3373 (P650) if an suitable outer packaging is used.

DOCUMENTS BASED UPON FOR APPROVAL:

| Report id. | Date | Issued by | Scope |
|------------|------------|-----------|---------------|
| NET0901C | 16.03.2021 | NET | Type approval |

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022 and NS-EN ISO 13274:2013.



NET0901C Page 3 of 4

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>





BREVIK, NORWAY

23.08.2024 CERTIFICATE IS VALID UNTIL:

31.12.2026

Geir Morten Johansen Certification Officer

Caci M. Johan

Rune Madsen Fink Control Officer

Nordisk Emballasje Testing Certification

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u>