

**TYPE APPROVAL OF PACKAGING FOR
TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET0901A**

HOLDER OF CERTIFICATE:
Skanem Rjukan AS

MANUFACTURER: Skanem Rjukan AS, Svaddeveien 162, N-3660 Rjukan, Norway

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be of an appropriate size.

The packaging shall also be appropriately marked with the month of the manufacture. The period of use permitted for the carriage of dangerous substances shall be five years from the date of manufacture of the drum, except where a shorter period of use is prescribed because of the nature of the substance to be carried.

Ⓢ **1H2/X0.03/S/YR/N/NET0901A**

- Ⓢ : The United Nations symbol
- 1H2 : Plastics drums, removable head
- Y0.03 : Packaging group II and III, and max gross mass in kg
- S : Solids in inner packaging
- YR : To be replaced with the year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET0901A - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description	Material	Drawing
Injection moulded plastics drum	Borealis PP SG 930MO	3233



DIMENSIONS:

Volume, l	Weight of drum, g	H (incl cap)*D, mm	Thickness, mm
0.042	9.1	95 (119)*32	1.2
0.042	9.1	95 (125)*32	1.2


CLOSING MECHANISM:

Screw cap	Producer	Drawing	Material	Gasket	Torque
30 mm	Skanem Rjukan	3235; h=47.1 mm	Borealis PP BD950MO	Cone	2 Nm
30 mm	Skanem Rjukan	3235; h=41.3 mm	Borealis PP BD950MO	Cone	2 Nm



INNER PACKAGING:

Type	Dimensions, mm
Absorbent, pad	80 * 45 * 2 mm
Blod sample bottles, max weight 16 g	Fit container



LEGISLATION:

The approval is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. This certificate is liable to withdrawal at any time, to ensure validation check the published version on the Internet (www.net17025.com/Sertifisering/UN_ADR/cid/30758/).

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:
 6.1.5.3 Drop test
 6.1.5.5 Internal pressure 0.95 kPa, P650
 6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content
UN3291 and UN3373 provided there is sufficient absorbent material to absorb the entire amount of liquid present. UN3373 (P650) if an suitable outer packaging is used.

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0901A	09.08.2007	NET	Type approval
NET0901A-1	31.03.2011	NET	Type approval

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.
 The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

24.01.2025 CERTIFICATE IS VALID UNTIL:

30.11.2027



Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

