

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6736A

HOLDER OF CERTIFICATE:

Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52338

Ulricehamn, Sweden

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

(n) 1A1/Y1.4 Z2.1/200/YR/N/NET6736A - ID

 $\left(egin{array}{ll} u \\ n \end{array}
ight)$: The United Nations symbol

1A1 : Steel drum, non-removable head

Y1.4 Z2.1 : Packaging group II and III, and max relative density

200 : Hydraulic test pressure in kPa

YR : To be replaced with the year (last two digits) of manufacture N : Norway, the state authorizing the allocation of the mark

NET6736A - ID : Identification of the drum

PRODUCT:

Method of manufacture/ Description

Rolled steel pail with longitudinal welded side seam, two beads and triple-seamed bottom



DIMENSIONS:

Volume, I	H*Ø, mm	Head / Body / Bottom,	Drawing		
		mm			
10	225 * 285/270	0.42 / 0.38 / 0.38	6606-01		
12	251 * 285/270	0.42 / 0.38 / 0.38	6610-01		
20	384 * 285/270	0.42 / 0.38 / 0.38	6615-01		
25	475 * 285/270	0.42 / 0.38 / 0.38	6618-01		

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket	Torque
S2 flex spout	Bericap GmbH	S2 REL MV	EVA/LDPE/HDPE	-	Welded
with screw cap					



LEGISLATION:

The approval is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. This certificate is liable to withdrawal at any time, to ensure validation check the published version on the Internet (www.net17025.com/Sertifisering/UN_ADR/cid/30758/).

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.3 Drop test

6.1.5.4 Leakproofness test

6.1.5.5 Internal hydraulic pressure test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content

Liquid substances that do not adversely affect the packaging materials

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
P105473	07.03.2007	SP	Type testing
92M12007A	24.08.1992	SP	Additional testing
90M20403	14.05.1991	SP	Type testing

Telephone +47 900 17025 VAT No.: 990 793 840
E-mail: info@net17025.com Bank account: 6250.05.22351
Web: www.net17025.com GPS: 59°03'25" N 9°40'70" E





VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in NS-EN ISO 16106:2020.

BREVIK, NORWAY

08.01.2025 CERTIFICATE IS VALID UNTIL:

Control Officer

31.01.2030

Mathias Werner Certification Officer

Nordisk Emballasje Testing Certification

Aluis Wemer

NET6736A Page 3 of 3 Telephone +47 900 17025 VAT No.: 990 793 840 E-mail: info@net17025.com Bank account: 6250.05.22351 Web: www.net17025.com GPS: 59°03'25" N 9°40'70" E