

# TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6739A

HOLDER OF CERTIFICATE:  
**Emballator Ulricehamns Bleck AB**

**MANUFACTURER:** Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52338  
Ulricehamn, Sweden

## **MARKING ON PACKAGING:**

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.


① **1A2/YKG/S/YR/N/NET6739A-ID**

①	: The United Nations symbol
1A2	: Steel drums, removable head
YKG	: Packaging group II and III, and max gross mass in kg, see content table
S	: Intended for carriage of solids
YR	: To be replaced with the year (last two digits) of manufacture
N	: Norway, the state authorizing the allocation of the mark
NET6739A - ID	: Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

## **PRODUCT:**

Method of manufacture/ Description

Rolled steel pail featuring a longitudinally welded side seam, triple-seamed bottom, and one reinforced stacking ring (beam)






## **DIMENSIONS:**

Volume, l	H*Ø, mm	Head/ Body/ Bottom, mm	Drawing
1: 10	212*300/273	0.43/0.36/0.36	6651-01
2: 12	238*300/273	0.43/0.36/0.36	6653-01
3: 13	260*300/273	0.43/0.36/0.36	EUB-10716 310719
4: 15	295*300/273	0.43/0.36/0.36	6655-01
5: 17	331*300/273	0.43/0.36/0.36	EUB-10720 310719
6: 20	372*300/273	0.43/0.36/0.36	6657-02

**CLOSING MECHANISM:**

#: Closure type	Producer	Drawings	Material	Gasket
1: Lid	Emballator Ulricehamn Bleck	662202-02	Steel sheet	PVC
3: UN-ring latch lid	Emballator Ulrichehamn Bleck	F3B-2694	Steel sheet	PVC
4: UN-ring latch	Emballator Ulricehamn Bleck	F3B-2694	Steel sheet	-


**LEGISLATION:**

The approval is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. This certificate is liable to withdrawal at any time, to ensure validation check the published version on the Internet ([www.net17025.com/Sertifisering/UN\\_ADR/cid/30758/](http://www.net17025.com/Sertifisering/UN_ADR/cid/30758/)).

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

**REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

**TESTS CARRIED OUT:**

Prototype tests performed and approved according to the above regulations:

6.1.5.3 Drop test

6.1.5.6 Stacking test

**APPROVAL IS VALID FOR:**

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

#: Content	Max brutto mass, kg	Volume, l
1: Solid substances not reactive with packaging material	26	10
2: Solid substances not reactive with packaging material	31	12
3: Solid substances not reactive with packaging material	33	13
4: Solid substances not reactive with packaging material	39	15
5: Solid substances not reactive with packaging material	44	17
6: Solid substances not reactive with packaging material	52	20

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
P501348	17.02.2005	SP	Type testing
PX11831	13.10.2011	SP	Additional type testing

**VALIDITY:**

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in NS-EN ISO 16106:2020.

BREVIK, NORWAY

**28.05.2025** CERTIFICATE IS VALID UNTIL:

**31.10.2029**


Mathias Werner  
Certification Officer



Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing Certification*