

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6730A

HOLDER OF CERTIFICATE:
Emballator Ulricehamn AB

MANUFACTURER: Emballator UK Ltd, Unit 1, City Link Industrial Estate, Phoenix Way,
Bradford BD4 8JP, United Kingdom

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.


① **1A2/Y1.4 Z2.1/100/YR/N/NET6730A - ID**

①	: The United Nations symbol
1A2	: Steel drums, removable head
Y1.4 Z2.1	: Packaging group II and III, and max relative density
100	: Hydraulic test pressure in kPa
YR	: To be replaced with the year (last two digits) of manufacture
N	: Norway, the state authorizing the allocation of the mark
NET6730A - ID	: Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description

Cylindrical tinplate can with triple seam and press lid




DIMENSIONS:

Volume, l	H*Ø, mm	Head/ Body/ Bottom, mm	Drawing
0.75	119*101.5	0.20 / 0.23 / 0.20	6017-01
0.5	90*101.5	0.20 / 0.23 / 0.20	6018-01
0.375	69*101.5	0.20 / 0.23 / 0.20	6019-01
0.375	64*101.5	0.20 / 0.23 / 0.20	6020-01

CLOSING MECHANISM:

99 mm Press lid	Producer	Drawings	Material	Gasket
Plain	EUB	6081-03	Steel Sheet	PVC
with P2, center	EUB	6086-01	Steel sheet	PVC
with plastic spout, center	EUB	6087-01	Steel sheet	PVC


LEGISLATION:

The approval is valid for a maximum of five years, provided that no changes are made to the packaging design, materials, dimensions, closure system, or method of construction. This certificate may be withdrawn at any time. For the current valid version, please refer to the official publication at www.net17025.com/Sertifisering/UN_ADR/cid/30758/.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 2023/4375 PRAX.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content	;ax. vapour pressure, kPa at +50 °C	Packaging group
Liquid	114	II
Liquid	114	III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
P603380	17.01.2007	SP	Type approval

VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

27.06.2025 CERTIFICATE IS VALID UNTIL:

30.06.2030


Mathias Werner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification