

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3236C

HOLDER OF CERTIFICATE:
DS Smith Packaging Sweden AB

MANUFACTURER: DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26
Värnamo, SWEDEN

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

④ **4G/YKG/S/YR/N/NET3236C - ID**

④ : The United Nations symbol
4G : Fibreboard boxes
YKG : Packaging group II and III, max gross mass in kg
S : Intended for carriage of solids or inner packagings, see content table
YR : To be replaced with the year (last two digits) of manufacture
N : Norway, the state authorizing the allocation of the mark
NET3236C - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description/ Method of manufacture	Manufacturer's joint	Material
FEFCO 0225, slotted type	Glued	Corrugated fibreboard, double wall board, details in report



DIMENSIONS:

#: Volume, litre	L*W*H, mm	Thickness, mm	Explosive approved	Drawing
1: 98.6	440*400*560	6.9	Yes	V5254921
2: 79.1	390*390*520	6.9	Yes	KD31354

CLOSING MECHANISM:

Closure type	Dimensions, mm	Material
Tape	50 mm	Glass fibre reinforced


INNERPACKAGING:

Plastic bag	Producer	Thickness at least	Tear resistance at least, MD/TD	Seal strengt at least
The size adjusts the current packaging	Any	47 µm	2.5 / 8.7 N	11 MPa


LEGISLATION:

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.2.3 Preparation of packaging, relativ humidity

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

#: Content	Max. gross weight, kg
1: Solid substance in the form of granules/powder that does not damage the inner packaging, which is a plastic bag	40
2: Solid substance in the form of granules/powder that does not damage the inner packaging, which is a plastic bag	32

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET32TE32	25.03.2019	NET	Technical evaluation
NET3236C	08.01.2019	NET	Type approval
NET32TE44	17.09.2020	NET	Technical evaluation

VALIDITY:

This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.

The certificate may be withdrawn at any time.

The published version on www.net17025.com/Sertifisering/UN_ADR/cid/30758/ shall always be considered the valid one.

The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.

Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".

The packaging shall be manufactured, reconditioned and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORGE

02.10.2025 CERTIFICATE IS VALID UNTIL:

31.10.2030

A handwritten signature in blue ink, reading 'Mathias Werner'.

Mathias Werner
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

A large, faint, light blue background logo in the center of the page. It consists of a central vertical bar with two large, rounded, shield-like shapes on either side, resembling a stylized cross or a compass rose.