TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET4006A

HOLDER OF CERTIFICATE:

VPK Packaging AB

155 kg max

MANUFACTURER: VPK Packaging AB, Gamla Bruksgatan 70, SE-668 40 Bäckefors, Sweden

MARKING ON PACKAGING:
Each packaging intended for use under ADR must bear markings that are durable, legible, and placed in a location where they are easily visible. Letters, numerals, and symbols must be at least 12 mm in height. Each large packaging (LP) must also be marked with the maximum permitted stacking load, in accordance with ADR 6.6.3.3.1 (as shown in the figure to the right).

(un) 50G/Y/MMYY/N/NET4006A-ID/279/155

(un)	: The United Nations symbol
50G	: Fibreboard large packaging
Y	: Packaging group II and III
MMYY	: To be replaced with the month and year (last two digits) of manufacture
N	: Norway, the state authorizing the allocation of the mark
NET4006A-ID	: Identification of the LP followed by "ID" to be replaced by the name or symbol of the manufacturer
279	: The stacking test load in kg
155	: The maximum permissible gross mass in kg

PRODUCT:

Description/ Method of manufacture	Drawing	Material	External dimensions: L*W*H, mm
Fefco GF201, Slotted type, Stitched manufactures joint	S846226	Corrugated fibreboard, double wall board, details in report	1195*795*1165

DIMENSIONS:

Volume, l	Internal dimensions: L*W*H, mm	Thickness, mm
920	1180*780*1000	6.5

NET AS
Blekebakkvegen 45
N-3950 Brevik

Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material
Staples, 20 pc in manufacturers edge	Any	C:15.0 W:2.5 T:0.5 L: 11.5/21.0	Steel
Strapping band * 2, as on picture	Any	12 * 0.8 mm	PP

INNER PACKAGING:

Type	Producer / Distributor	Thickness at least	Tear resistance at least, MD/TD, N	Seal strengt at least, N
Plastic bag	Any	144 my	2.9/ 5.9	35.5

LEGISLATION:

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

NET AS
Blekebakkvegen 45
N-3950 Brevik

Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

REGULATIONS BASED UPON FOR APPROVAL:
UN Recommendations on the Transport of Dangerous Goods.
ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
RID, International Regulations on Transport of Dangerous Goods by Rail.
IMDG, International Maritime Dangerous Goods Code, for sea transport.
ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:
Prototype tests performed and approved according to the above regulations:
6.6.5.3.1 Bottom lift test
6.6.5.3.3 Stacking test
6.6.5.3.4 Drop test

APPROVAL IS VALID FOR:
The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content
UN3291: CLINICAL WASTE, UNSPECIFIED or (BIO) MEDICAL WASTE, or REGULATED MEDICAL WASTE

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET4006A	02.10.2020	NET	Type approval

VALIDITY:
This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.
The certificate may be withdrawn at any time.
The published version on www.net17025.com/Sertifisering/UN_ADR/cid/30758/ shall always be considered the valid one.
The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.
Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".
The packaging shall be manufactured, reconditioned and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:
All tests are performed in accordance with NET accredited test method ATM001.
The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.

NORSK AKKREDITERING TEST 259

NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

BREVIK, NORWAY **31.10.2025** CERTIFICATE IS VALID UNTIL: **31.10.2030**

Mathias Werner
Certification Officer

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

NET AS
Blekebakkvegen 45
N-3950 Brevik

Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E