TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3201C

HOLDER OF CERTIFICATE:

DS Smith Packaging Sweden AB

MANUFACTURER: DS Smith Packaging Sweden AB, Bangårdsgatan 2-4, SE-331 26 Värnamo, SWEDEN

MARKING ON PACKAGING:
Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

(un) 4GW/Y38/S/YR/N/NET3201C-ID

(un)	: The United Nations symbol
4GW	: Fibreboard boxes, deviating design due to box dimensions ADR 6.1.1.1 e)
Y38	: Packaging group II, max gross mass in kg
S	: Intended for carriage of solids or inner packagings, see content table
YR	: To be replaced with the year (last two digits) of manufacture
N	: Norway, the state authorizing the allocation of the mark
NET3201C-ID	: Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description/ Method of manufacture	Manufacturer´s joint	Material
Box: FEFCO 0200, slotted type/ Lid: FEFCO 0452 folder type	Stitched	Corrugated fibreboard, double wall board in box, single wall in lid, details in report

DIMENSIONS:

Box volume, l	L*W*H, mm	Thickness, mm	Drawing
974	1185*785*1050	6.7	M105836

NET AS
Blekebakkvegen 45
N-3950 Brevik

Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

CLOSING MECHANISM:

Fibreboard lid	Description or Drawing	Material
1142*815*200 mm	M83330, thickness 4.0	Details in report
4 staples in each corner of the lid	777/16	Steel
4 staples in each corner attaching the lid to the box	777/16	Steel
12 staples in bottom	35/22	Steel

INNER PACKAGING:

Type	Description	Material	Thickness
Plastic bag	Closed with plastic strips	According to report NET3201C	7 micron

LEGISLATION:
NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.
NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.
NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:
UN Recommendations on the Transport of Dangerous Goods.
ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
RID, International Regulations on Transport of Dangerous Goods by Rail.
IMDG, International Maritime Dangerous Goods Code, for sea transport.
ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:
Prototype tests performed and approved according to the above regulations:
6.1.5.2.3 Preparation of packaging, relativ humidity
6.1.5.3 Drop test
6.1.5.6 Stacking test

APPROVAL IS VALID FOR:
The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instruction, and is restricted to the content specified below as documented in test report.

Content	Max. gross weight, kg	Packaging group
Solids in inner packaging	38	II

NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET3201C	01.03.2019	NET	Type approval
NET32TE41	16.09.2020	NET	Technical Evaluation

VALIDITY:
This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.
The certificate may be withdrawn at any time.
The published version on www.net17025.com/Sertifisering/UN_ADR/cid/30758/ shall always be considered the valid one.
The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.
Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".
The packaging shall be manufactured, reconditioned and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:
All tests are performed in accordance with NET accredited test method ATM001.
The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.

NORSK AKKREDITERING TEST 259

BREVIK, NORWAY **03.11.2025** CERTIFICATE IS VALID UNTIL: **31.10.2030**

Mathias Werner
Certification Officer

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

NET AS
Blekebakkvegen 45
N-3950 Brevik
Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com
VAT No.: 990 793 840
Bank account: 6250.05.22351
GPS: 59°03'25'' N 9°40'70'' E