

**TYPE APPROVAL OF PACKAGING FOR
TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET2911A**

HOLDER OF CERTIFICATE:
AB Sundplast

MANUFACTURER: AB Sundplast, Box 150844 (Stenbrovägen 46), SE-250 15 Helsingborg, Sweden

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

4H2/YKG/S/YR/N/NET2911A - ID

4H2	: The United Nations symbol
YKG	: Plastics boxes, solid
S	: Packaging group II, max gross mass in kg
YR	: Solids, see content table
N	: To be replaced with the year (last two digits) of manufacture
NET2911A - ID	: Norway, the state authorizing the allocation of the mark
	: Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description/ Method of manufacture	Material
Injection-moulded PP copolymer container with lid, available with or without central opening. The main lid is permanently bonded to the container.	PP, details in report



DIMENSIONS:

Weight of box, g	Volume, l	Ext. dims: L*W*H, mm	Thickness, mm	Drawing
950	30	374*374*262	2.0	30L Container REV1-251114
1340	50	374*374*459	2.0	50L Container REV1-251117
1600	60	374*374*578	2.0	60L Container REV1-251117

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material
Lid; 393*393 mm	AB Sundplast	Lid REV1-251110	PP, details in report
Lid with cap; 393*393 mm	AB Sundplast	Lid With Insert REV1-251107	PP, details in report
Cap; Ø 164 mm	AB Sundplast	Lid insert REV 1	PP, details in report

**LEGISLATION:**

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instruction, and is restricted to the content specified below as documented in test report.

Box/ Content	Max. gross weight, kg
30 L: The packaging is approved for the transport of substances classified as UN 3291 (Clinical waste, n.o.s.) and UN 3249 (MEDICINE, SOLID, TOXIC, N.O.S.), excluding sharp or rigid objects capable of puncturing the packaging.	10 kg
50 L: The packaging is approved for the transport of substances classified as UN 3291 (Clinical waste, n.o.s.) and UN 3249 (MEDICINE, SOLID, TOXIC, N.O.S.), excluding sharp or rigid objects capable of puncturing the packaging.	20 kg
60 L: The packaging is approved for the transport of substances classified as UN 3291 (Clinical waste, n.o.s.) and UN 3249 (MEDICINE, SOLID, TOXIC, N.O.S.), excluding sharp or rigid objects capable of puncturing the packaging.	20 kg

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET2911A2	27.01.26	NET	Type approval
NET2911A	23.01.26	NET	Type test

VALIDITY:

This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.

The certificate may be withdrawn at any time.

The published version on www.net17025.com/Sertifisering/UN_ADR/cid/30758/ shall always be considered the valid one.

The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.

Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".

The packaging shall be manufactured, reconditioned and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.


TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

09.02.2026 CERTIFICATE IS VALID UNTIL:**28.02.2031**

Mathias Werner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification

