

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET21401A

HOLDER OF CERTIFICATE:
Capro Cases AS

MANUFACTURER: Capro Cases AS, Bygget 2, Engan Industriområde, 7290 Støren, Norway

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

Ⓢ **4D/Y203/S/YR/N/NET21401A**

- Ⓢ : The United Nations symbol
- 4D : Plywood boxes
- Y203 : Packaging group II, and max gross mass in kg
- S : Intended for carriage of solids
- YR : To be replaced with the year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET21401A : Identification of the packaging

PRODUCT:

Description/ Method of manufacture	Material/ thickness
Screw-assembled plywood crate with lid and integral pallet, suitable for mechanical handling	9 layers of plywood, thickness of bottom and end walls in 18 mm, side walls in 9 mm



DIMENSIONS:

Tare weight, kg	External dimensions: L*W*H, mm	Explosive approved	Drawing
88 kg	2442*542*495 mm	Yes	20490008v1

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material
Lid	Capro Cases	20490008v1	Plywood

INNER PACKAGING:

Description
Internal wooden fittings consisting of fixed transverse support frames, intended to position and secure the contents against movement during transport, according to drawing "Interwell vuggeplassing"

LEGISLATION:

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirements of the applicable UN code and its packaging instruction, and is restricted to the content specified below as documented in test report.

The packaging has been considered and approved for explosives (class 1).

Prior to reuse, all UN-approved packagings intended for the transport of dangerous goods shall be inspected to confirm that they remain free from damage, corrosion, and contamination. Compliance with the original ADR type approval, including all applicable prototype test performance criteria, must be ensured.

Packagings showing any sign of reduced mechanical integrity shall be subject to reconditioning, repair, or permanent withdrawal from service. All functional components, including lid, fasteners and internal fittings, must remain intact and fully functional to ensure continued conformity.

Packagings that no longer fulfil these requirements shall not be reused for the transport of dangerous goods, in accordance with ADR 4.1.1.9.

Content
Article, pyrotechnic for technical purposes, UN0432, 1.4S, article mass: 115 kg

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET21401A2	07.04.2026	NET	Additional type test
NET21401A	26.03.2026	NET	Type approval

VALIDITY:

This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.

The certificate may be withdrawn at any time.

The published version on www.net17025.com/Sertifisering/UN_ADR/cid/30758/ shall always be considered the valid one.

The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.

Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".

The packaging shall be manufactured, reconditioned and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017

approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

14.04.2026 CERTIFICATE IS VALID UNTIL:

30.04.2031



Anita Gusfre Thoner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification