

**TYPE APPROVAL OF PACKAGING FOR  
TRANSPORTATION OF DANGEROUS GOODS  
CERTIFICATE NO.: NET12502A**

HOLDER OF CERTIFICATE:  
**DGM Sverige AB**

**MANUFACTURER:** DGM Sverige AB, Backa Bergögata 11, 422 46 Hisings Backa, Sweden

**MARKING ON PACKAGING:**

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

Ⓢ **4GV/X45/S/YR/N/NET12502A - ID**

- Ⓢ : The United Nations symbol
- 4GV : Fibreboard boxes
- X45 : Packaging group I, II and III, max gross mass in kg, see content table
- S : Intended for carriage of solids or inner packagings, see content table
- YR : To be replaced with the year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET12502A - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

**PRODUCT:**

Description	Manufacturer´s joint	Material
FEFCO 0201, special packaging conforming to the requirements of 6.1.5.1.7	Stitched joint	Corrugated fibreboard, double wall board, details in report



**DIMENSIONS:**

Volume, litre	L*W*H, mm	Drawing	Thickness, mm	Explosive judgment
95	576 * 376 * 442	S847429	6.9	Not approved

**CLOSING MECHANISM:**

Type	Producer	Dimensions, mm	Material
"O"-pattern, 75 mm overlap	Boxon Pack AB	0.5 * 75	LDPE reinforced with glass-fibre crossarmed
Strapping * 2	Any	12	PP



**INNER PACKAGING:**

Type	Material	Dimensions, mm
Plastic bag with optional inner packaging (ADR 6.1.5.1.7) SP85	RAJA Pack LDPE	1320 * 850 * 0.28



**LEGISLATION:**

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

**REGULATORY BASIS FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

**TESTS CARRIED OUT:**

Prototype tests performed and approved according to the above regulations:  
 6.1.5.2.3 Preparation of packaging, relative humidity  
 6.1.5.3 Drop test  
 6.1.5.6 Stacking test

**APPROVAL IS VALID FOR:**

The packaging shall always be used according to the requirements of the applicable UN code and its packaging instruction, and is restricted to the content specified below as documented in test report. The packaging covered by this certificate has been prepared and tested for transport in accordance with the applicable requirements of ADR. The contents shall be packed and arranged in the outer packaging so that the minimum distances specified in the table below are maintained. The use of other packaging methods, components, or preparations than those described in this certificate may render the approval invalid.

Content	Min. distance between inner packings, mm	Min. distance between inner packing and packaging wall, mm	Min. distance between inner packing and top- or bottom wall, mm
Articles or inner packagings of any type, for solids or liquids, packed in plastic bags and surrounded by vermiculite	50	50	125

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
NET12502A	19.03.2021	NET	Type approval

**VALIDITY:**

This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction. The certificate may be withdrawn at any time. The published version on [www.net17025.com/Sertifisering/UN\\_ADR/cid/30758/](http://www.net17025.com/Sertifisering/UN_ADR/cid/30758/) shall always be considered the valid one. The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety. Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

**TEST STANDARD:**

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORGE

24.04.2026 CERTIFICATE IS VALID UNTIL:

30.04.2031



Mathias Werner  
Certification Officer



Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing Certification*

