

**TYPE APPROVAL OF PACKAGING FOR
TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET8505A**

HOLDER OF CERTIFICATE:

Destructor AB

RESPONSIBLE DISTRIBUTOR: Destructor AB, Degrabo Talldungen 1, 447 91 Vårgårda, Sweden

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 6/12 mm high.

Ⓢ **4G/Y15/S/YR/N/NET8505A - ID**

- Ⓢ : The United Nations symbol
- 4G : Fibreboard boxes
- Y15 : Packaging group II and III, max gross mass in kg
- S : Solids in inner packaging, see content table
- YR : To be replaced with the year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET8505A - ID : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer

PRODUCT:

Description	Manufacturer´s joint	Material
Fefco category 03, telescope-type, the lid telescoping over the body of the box	Glued	Corrugated fibreboard, double wall board, details in report



DIMENSIONS:

Volume, l	L*W*H, mm	Drawing
35	558*381*193	E272351 17.10.23

CLOSING MECHANISM:

#: Lid with tape or labels 2, 2.1 or 2.2	Producer	Drawing	Material
1: Lid	Details in report	840391	PVC tape
2: Tape, 100mm over the edge, included 50 mm of the lid	Details in report	48*0.04 mm	Unknown plastic
2.1: Labels, 0.08 mm thick, one on each short side	-	"UN Sticker" 295*155 mm	Plastic
2.2: Labels, 0.08 mm thick, one on each long side	-	"UN Sticker" 295*155 mm	Plastic

INNER PACKAGING:

Type	Producer	Drawing	Material	Dimensions, mm
Galvanised welded cage	DESAPAC AB	V11-Cage	Q195-Steel	525*340*193

LEGISLATION:

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATORY BASIS FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.2.3 Preparation of packaging, relativ humidity

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

The packaging shall always be packed according to DESAPAC´s packaging instructions.

Approved content
Articles, safety devices as UN3268 or UN0503
Articles, Lithium ion batteries as UN 3480, UN3481, UN3090 or UN3091

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET8505A2	30.11.2017	NET	Additional type test
NET8505A	08.11.2017	NET	Type approval

VALIDITY:

This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.

The certificate may be withdrawn at any time.

The published version on www.net17025.com/Sertifisering/UN_ADR/cid/30758/ shall always be considered the valid one.

The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.

Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".

The packaging shall be manufactured and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

10.06.2026 CERTIFICATE IS VALID UNTIL:

31.05.2031



Anita Gusfre Thoner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification