

**TYPE APPROVAL OF PACKAGING FOR  
TRANSPORTATION OF DANGEROUS GOODS  
CERTIFICATE NO.: NET8506A**

HOLDER OF CERTIFICATE:

**Destructor AB**

**600 kg max**



**RESPONSIBLE DISTRIBUTOR:** Destructor AB, Degrabo Talldungen 1, 447 91 Vårgårda, Sweden

**MARKING ON PACKAGING:**

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

**(u n) 50G/Y/300/N/NET8506A-ID/1080/300**

- (u n) : The United Nations symbol
- 50G : Fibreboard large packaging
- Y : Packaging group II and III
- MMYY : To be replaced with the month and year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET8506A - ID : Identification of the LP followed by "ID" to be replaced by the name or symbol of the manufacturer
- 1080 : The stacking test load in kg
- 300 : The maximum permissible gross mass in kg

**PRODUCT:**

Description	Material	Drawing
Large packaging of double wall board of corrugated fibreboard, with lid of same material, and pallet of natural wood	1750	51637901



**DIMENSIONS:**

Volume, l	L*W*H, mm	Thickness, mm	Drawing
496	1140*790*748	6.2	51637901

**CLOSING MECHANISM:**

Lid with strap 2 or 2.1	Producer	Drawings	Material
1: Lid	VPK Packaging AB	51638801	Fibreboard
2: Strap*2	Any	12 mm, 130 kg	PP
2.1: Strap*2	Any	16 mm, 450 kg	Polyester


**OTHER PARTS:**

Type	Description	Drawing	Material
Outer frame	IMS Emballasje AB	611*48*19	Wood
Pallet	IMS Emballasje AB	1140*790*135	Wood
Cushioning material	VPK Packaging AB	836488	Fibreboard
Cushioning materia	VPK Packaging AB	51196801	Fibreboard

**LEGISLATION:**

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

**REGULATORY BASIS FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

**TESTS CARRIED OUT:**

Prototype tests performed and approved according to the above regulations:

6.6.5.3.1 Bottom lift test

6.6.5.3.3 Stacking test

6.6.5.3.4 Drop test

**APPROVAL IS VALID FOR:**

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Prior to reuse, all UN-approved packagings intended for the transport of dangerous goods shall be inspected to confirm that they remain free from damage, corrosion, and contamination. Compliance with the original ADR type approval, including all applicable prototype test performance criteria, must be ensured.

Packagings showing any sign of reduced mechanical integrity shall be subject to reconditioning, repair, or permanent withdrawal from service. All functional components - including closures, gaskets, and valves - must remain intact and fully operational to ensure continued conformity.

Packagings that no longer fulfil these requirements shall not be reused for the transport of dangerous goods, in accordance with ADR 4.1.1.9.

Approved content
UN3268 - Safty devices, packed in accordance with DESAPAC instructions
UN3480 - Lithium Ion Batteries,packed in accordance with DESAPAC instructions
UN3481 - Lithium Ion Batteries contained in equipment, packed in accordance with DESAPAC instructions
UN3090 - Lithium Metal Batteries, packed in accordance with DESAPAC instructions
UN3091 - Lithium Metal Batteries contained in equipment, packed in accordance with DESAPAC instructions

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
NET8506A	23.02.2018	NET	Type approval
NET85TE03	09.05.2018	NET	Technical evaluation, new inner packagings
NET85TE06	29.06.2022	NET	Technical evaluation, 2.1

**VALIDITY:**

This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.

The certificate may be withdrawn at any time.

The published version on [www.net17025.com/Sertifisering/UN\\_ADR/cid/30758/](http://www.net17025.com/Sertifisering/UN_ADR/cid/30758/) shall always be considered the valid one.

The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.

Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".

The packaging shall be manufactured, reconditioned and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

**TEST STANDARD:**

All tests are performed in accordance with NET accredited test method ATM001.


The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

10.06.2026 CERTIFICATE IS VALID UNTIL:

31.05.2031



Anita Gusfre Thoner  
Certification Officer



Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing Certification*

