

**TYPE APPROVAL OF PACKAGING FOR
TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET8502A**

HOLDER OF CERTIFICATE:

Destructor AB

722 kg max




RESPONSIBLE DISTRIBUTOR: Destructor AB, Degrabo, Talldungen, 44791 Vårgårda, SWEDEN

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

 **50CW/Z/MMYY/N/NET8502A - ID/1300/235**

-  : The United Nations symbol
- 50CW : Natural wood, deviating design; walls of plastics foil
- Y : Packaging group III
- MMYY : To be replaced with the month and year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET8502A - ID : Identification of the LP followed by "ID" to be replaced by the name or symbol of the manufacturer
- 1300 : The stacking test load in kg
- 235 : The maximum permissible gross mass in kg

PRODUCT:

Description	Material
Large packaging of wood/ plywood with walls of 9 layers of plastics foil	LLDPE/ wood



DIMENSIONS:

Volume, l	L*W*H, mm	Drawing
802	1222*820*801	Photo, appendix 1, SP report P704765

CLOSING MECHANISM:

Closure type	Drawing	Material	Description
Plastic foil	-	LLDPE	9 layer
Packing Strap	-	Polyester	4 straps
Lid	No. 0071, dated 29.02.2004	Plywood	5 layer, 10mm plywood

OTHER PARTS:

Type	Weights, kg	Drawing	Material	Dimensions
Plastic box	2	A0-4660.0100	HDPE	601.5*401.4*200
Plastic lid	0.8	4561.01	PP	611.5*411.7*23.5
Fibre layers	3	NO. 0051 dated 02.07.200	Fibre wood	2 pc of 3.1mm thickness
Wooden pallet, type L	22	No. 0001, dated 28.11.2007	Natural wood	1225*815*138

LEGISLATION:

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATORY BASIS FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.6.5.3.1 Bottom lift test

6.6.5.3.3 Stacking test

6.6.5.3.4 Drop test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content
Solid substance that do not adversely affect the packaging materials

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
P704765	31.01.2008	SP	Type approval
NET8502A	05.08.2015	NET	Selective testing

VALIDITY:

This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.

The certificate may be withdrawn at any time.

The published version on www.net17025.com/Sertifisering/UN_ADR/cid/30758/ shall always be considered the valid one.

The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.

Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".

The packaging shall be manufactured, reconditioned and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.


The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

10.06.2026 CERTIFICATE IS VALID UNTIL:

10.06.2026



Anita Gusfre Thoner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification