

**TYPE APPROVAL OF PACKAGING FOR  
TRANSPORTATION OF DANGEROUS GOODS  
CERTIFICATE NO.: NET11302A**

HOLDER OF CERTIFICATE:

**NeedleDock Ltd**

**RESPONSIBLE DISTRIBUTOR:** NeedleDock Ltd, MENTA Business Centre, 5 Eastern Way, Bury St Edmunds, IP32 7AB, United Kingdom

**MARKING ON PACKAGING:**

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 6 mm high.

Ⓢ **4G/YKG/S/YR/N/NET11302A**

- Ⓢ : The United Nations symbol
- 4G : Fibreboard boxes
- YKG : Packaging group II, max gross mass in kg, see content table
- S : Intended for carriage of solids or inner packagings, see content table
- YR : To be replaced with the year (last two digits) of manufacture
- N : Norway, the state authorizing the allocation of the mark
- NET11302A : Identification of the packaging

**PRODUCT:**

Description/ Method of manufacture	Manufacturer 's joint	Material
Folder type	Glued	Cardboard, specification documented in test report



**DIMENSIONS:**

#: Volume, l	L*W*H, mm	Thickness, mm	Drawing
1: 5.8	162*162*336	0.94	VP-04.1 24.06.24
2: 12.0	205*185*395	0.94	433550-25 13.08.25
3: 22.0	300*180*500	0.94	433560-25 13.08.25

**CLOSING MECHANISM:**

Closure type	Producer	Drawings	Material
Tape/ lable	Fedrigoni S.P.A	VP-L-04. 14th May 2024 (Label A, closure, part of the packaging)	Fedrigoni S.P.A Fedrigoni PP TC MATT WHITE 70
Tape/ lable	Fedrigoni S.P.A	VP-L-04. 14th May 2024 (Label B, closure, part of the packaging)	Fedrigoni S.P.A Fedrigoni PP TC MATT WHITE 70

**INNER PACKAGING:**

Type	Description	Drawing	Material	Dimensions, mm
Inner liner	SABIC	Bag to accept flat-pack carton V2.1 3rd May 2024	LDPE, specification documented in test report	506*301*0.05
Inner receptacle	Smurfit Kappa AB	Mid carton VP- 04.1. 24th June 2024	Cardboard, specification documented in test report	154*154*325

**LEGISLATION:**

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

**REGULATORY BASIS FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

**TESTS CARRIED OUT:**

Prototype tests performed and approved according to the above regulations:

6.1.5.2.3 Preparation of packaging, relativ humidity

6.1.5.3 Drop test

6.1.5.6 Stacking test

**APPROVAL IS VALID FOR:**

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

#: Approved content	Max gross mass, kg
1: UN3291 REGULATED MEDICALWASTE N.O.S., provided there is sufficient absorbent material to absorb the entire amount of liquid present. UN3373 (P650) if an suitable outer packaging is used.	2.9
2: UN3291 REGULATED MEDICALWASTE N.O.S., provided there is sufficient absorbent material to absorb the entire amount of liquid present. UN3373 (P650) if an suitable outer packaging is used.	2.0
3: UN3291 REGULATED MEDICALWASTE N.O.S., provided there is sufficient absorbent material to absorb the entire amount of liquid present. UN3373 (P650) if an suitable outer packaging is used.	3.0
1: UN3249 MEDICINE, SOLID, TOXIC, N.O.S.	2.9
2: UN3249 MEDICINE, SOLID, TOXIC, N.O.S.	2.0
3: UN3249 MEDICINE, SOLID, TOXIC, N.O.S.	3.0

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
NET11302A	21.06.2024	NET	Type approval
NET11302A2	07.01.2026	NET	Type approval
NET11302A3	09.01.2026	NET	Type approval

**VALIDITY:**

This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.

The certificate may be withdrawn at any time.

The published version on [www.net17025.com/Sertifisering/UN\\_ADR/cid/30758/](http://www.net17025.com/Sertifisering/UN_ADR/cid/30758/) shall always be considered the valid one.

The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.

Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".

The packaging shall be manufactured and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

The approval is restricted to the packaging design, dimensions, closure system, inner packagings and material specifications documented in the test report.

**TEST STANDARD:**

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

26.06.2026 CERTIFICATE IS VALID UNTIL:

31.01.2030




Mathias Werner  
Certification Officer



Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing Certification*

A large, faint watermark logo is centered on the page. It consists of a white cross-like shape with rounded ends, set against a light blue circular background.