

# TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET1907M

HOLDER OF CERTIFICATE:

**Accon FDP ApS**
**MANUFACTURER:**

Accon FDP ApS, Baldersbuen 8, DK-2640 Hedehusene, Denmark

**MARKING ON PACKAGING:**

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

u **1G/YKG/S/YR/N/NET1907M - ID**

|               |                                                                                                   |
|---------------|---------------------------------------------------------------------------------------------------|
| <u>u</u>      | : The United Nations symbol                                                                       |
| 1G            | : Fibreboard drum                                                                                 |
| YKG           | : Packaging group II and III, and max gross mass in kg                                            |
| S             | : Intended for carriage of solids, see content table                                              |
| YR            | : To be replaced with the year (last two digits) of manufacture                                   |
| N             | : Norway, the state authorizing the allocation of the mark                                        |
| NET1907M - ID | : Identification of the packaging followed by "ID" to be replaced by the name of the manufacturer |

**PRODUCT:**

| Description                                                                               | Method of manufacture | Material                      | Drawing            |
|-------------------------------------------------------------------------------------------|-----------------------|-------------------------------|--------------------|
| Fibre drum with inner plastic bag, with galvanized closing ring and stapled bottom of MDF | Spinning              | Kraftliner, details in report | Type 2-6, 20.06.24 |


**DIMENSIONS:**


| #: Volume, l | H*Ø, mm | Head/ Body/ Bottom, mm |
|--------------|---------|------------------------|
| 1: 30        | 440*310 | 10.0 / 2.3 / 10.0      |
| 2: 25        | 380*310 | 10.0 / 2.3 / 10.0      |
| 3: 17        | 260*310 | 10.0 / 2.3 / 10.0      |

**CLOSING MECHANISM:**

| Closure type                           | Producer      | Drawings               | Material                         |
|----------------------------------------|---------------|------------------------|----------------------------------|
| Lid with lifting ring                  | Accon FDP ApS | Type 2-6, 20.06.24     | Styleboard MDF plus              |
| Locking ring, lever arm and cotter pin | Accon FDP ApS | Clamp, 620 REV.0 M.176 | Galvanized steel: 1.2 mm/ 0.6 mm |


**INNER PACKAGING:**

| PE plastic bag                                                     | Producer                         | Thickness at least, mm | Tear resistance at least, MD/TD, N | Seal strengt at least, N |
|--------------------------------------------------------------------|----------------------------------|------------------------|------------------------------------|--------------------------|
| Big enough to fold over the edge when filled, closed with a strip. | Any                              | 0.04                   | 76/557                             | 14.0                     |
| Cable tie                                                          | Any, minimum holding force 225 N | -                      | -                                  | -                        |


**LEGISLATION:**

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

**REGULATORY BASIS FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.  
IMDG, International Maritime Dangerous Goods Code, for sea transport.  
ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
IATA, Dangerous Goods Regulations, for the air transport.

#### TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.3 Drop test

6.1.5.6 Stacking test

#### APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

| Content                    | Max gross weight, kg |
|----------------------------|----------------------|
| 1: Solids in a plastic bag | 30                   |
| 2: Solids in a plastic bag | 25                   |
| 3: Solids in a plastic bag | 17                   |

#### DOCUMENTS BASED UPON FOR APPROVAL:

| Report id. | Date       | Issued by | Scope                |
|------------|------------|-----------|----------------------|
| NET1907M   | 13.02.2024 | NET       | Type approval        |
| NET19TE02  | 14.08.2026 | NET       | Technical Evaluation |

#### VALIDITY:

The continued validity of the type approval requires that the holder of the certificate and/ or the manufacturer inform NET certification that has approved its type of packaging of any changes to the characteristics of the type or anything that can influence on the transport safety on the specific design so that it can be verified that the type of packaging continues to comply with packaging tested as base for the original type approval.

The validity of the type approval assume regular verification by means of periodic audits by NET in accordance with NET Doc 2: "Production control agreement". The packaging shall be manufactured, reconditioned and tested under a quality assurance program which satisfies NET Certification, in order to ensure that each packaging meets the requirements in ADR and the guidelines in NS-EN ISO 16106:2020.

#### TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.  
The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017  
approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

14.08.2026 CERTIFICATE IS VALID UNTIL:

30.04.2029


A handwritten signature in blue ink, reading 'Anita G. Thoner'.

Anita Gusfre Thoner  
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing Certification*

A large, faint, light blue logo in the background, resembling a stylized umbrella or a shield with a central vertical element.