

TYPE APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET32.108C

HOLDER OF CERTIFICATE:
DS Smith Packaging Sweden AB

MANUFACTURER: DS Smith Packaging Sweden AB, Wellvägen 2, 331 92 Värnamo, SWEDEN
DS Smith Packaging Sweden AB, Förrådgatan 15, SE-542 35 Mariestad, SWEDEN

MARKING ON PACKAGING:

Each packaging intended for use according to the ADR shall bear markings which are durable, legible and placed in a location as to be readily visible. Letters, numerals and symbols shall be at least 12 mm high.

④ **4G/Z21/S/YR/N/NET32.108C - ID**

④ : The United Nations symbol
4G : Fibreboard boxes
Z21 : Packing group III, max gross mass in kg
S : Intended for carriage of solids or inner packagings, listed under "Approved Contents"
YR : To be replaced with the year (last two digits) of manufacture
N : Norway, the state authorizing the allocation of the mark
NET32.108C - ID : Identification of the packaging followed by "V" for Värnamo or "M" for Mariestad

PRODUCT:

Description/ Method of manufacture	Manufacturer's joint	Material
FEFCO 0201, slotted type	Glued	Corrugated fibreboard, single wall, details in report




DIMENSIONS:

Volume, l	L*W*H, mm	Thickness, mm	Drawing
21.5	370*280*208	4.0	SD01141

CLOSING MECHANISM:

Closure type	Producer	Description	Dimensions, mm	Material
Tape, Scotch 309	3M	Pressure sensitive, tape method; "U-pattern", 50 mm over every edge	50 * 0.050	Polypropylene



INNER PACKAGING:

Type	Description	Producer	Material
Plastic bag	Gathered, twisted and folded back over itself	Polynova Nissen AB	Undefined PE

LEGISLATION:

NET issues this certification pursuant to delegated authority from the Norwegian Directorate for Civil Protection (DSB), in accordance with the Regulation of 1 April 2009 No. 384 on the land transport of dangerous goods, Chapter 6a (ref. 2023/4375 PRAX). NET is designated as the competent body for allocation of the UN mark on packagings, including IBCs and large packagings, as published by the United Nations (UNECE) list of competent authorities.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATORY BASIS FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

TESTS CARRIED OUT:

Prototype tests performed and approved according to the above regulations:

6.1.5.2.3 Preparation of packaging, relative humidity

6.1.5.3 Drop test

6.1.5.6 Stacking test

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instruction, and is restricted to the content specified below as documented in test report.

The packaging covered by this certificate has been prepared and tested as for transport in accordance with the applicable requirements of ADR. The use of other packaging methods, components, or preparations than those described in this certificate may render the approval invalid.

Approved Contents

Compashield Ag/Al - UN 3077

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET32.108D	05.08.26	NET	Full type test
NET32.108C	25.08.26	NET	Selective type test

VALIDITY:

This approval is valid for five (5) years, provided no modifications are made to the packaging design, materials, dimensions, closure system, or method of construction.

The certificate may be withdrawn at any time.

The published version on www.net17025.com/Sertifisering/UN_ADR/cid/30758/ shall always be considered the valid one.

The certificate holder/manufacturer must notify NET Certification of any changes that may influence transport safety.

Continued validity requires periodic audits by NET in accordance with NET Doc 2: "Production control agreement".

The packaging shall be manufactured, reconditioned and tested under a quality assurance programme meeting ADR requirements and guidelines in NS-EN ISO 16106:2020.

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with NS-EN ISO/IEC 17025:2017 approved by Norsk Akkreditering and according to NS-EN ISO 16495:2022.



BREVIK, NORWAY

02.09.2026 CERTIFICATE IS VALID UNTIL:

30.09.2031



Anita Gusfre Thoner
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing Certification