VAT No.: 990 793 840

Bank account: 6250.05.22351

GPS: 59°03'25" N 9°40'70" E





PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6401A

HOLDER OF CERTIFICATE:

FalkEmballage AB

MANUFACTURER: FalkEmballage AB, Badhusvägen 56, SE-311 32 Falkenberg, Sweden

MARKING ON PACKAGING: (3) 3H1/Y1.9/200/YR/N/NET6401A - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1	Plastics jerricans,	Falkemballage 20 l	HDPE
	non-removable head		
3H1	Plastics jerricans,	Falkemballage 25 l	HDPE
	non-removable head		
3H1	Plastics jerricans,	Falkemballage 30 l	HDPE
	non-removable head		

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque
1: Screw cap	Bericap GmbH	1361701	Ineos Rigidex	Alkozell 300	20 Nm
(SK 60)			5050EA		
2: Screw cap	Modulpac AB	25 PMO	Chevron Phillips	None	Hand Torque
			Marlex 5502BN		
3: Screw cap	Bericap GmbH	1361702	Ineos Rigidex	Alkozell 300	20 Nm
(SK 60), venting			5050EA		

Telephone: +47 900 17025

E-mail: info@net17025.com

Web: www.net17025.com

VAT No.: 990 793 840

Bank account: 6250.05.22351

GPS: 59°03'25" N 9°40'70" E



DIMENSIONS:

Weight of can, g	Volume, I	Height, mm	Width, mm	Length, mm	Neck size, mm
1068-1121	20.0	384	260	292	48.6
1167-1225	25.0	444	260	292	48.6
1279-1342	30.0	510	260	292	48.6

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure+50°C, kPa	Closure #
n-Butyl acetate	1.0	142	1,2
Wetting solution	1.2	171	1,2,3
Water	1.9	171	1,2,3
White spirit	1.0	142	1,2
Acetic acid	1.2	171	1,2

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope		
GV/gv/G-11.226	24.10.2011	BVI	Type testing		
NET6401A	16.12.2011	NET	Type approval		

LERUM, SWEDEN 22.12.2011 CERTIFICATE IS VALID UNTIL: 31.12.2016

E-mail: info@net17025.com

Web: www.net17025.com





Susanne E. Dalhberg Certification Officer

Control Officer

Nordisk Emballasje Testing AS Certification

Telephone: +47 900 17025 VAT No.: 990 793 840
E-mail: <u>info@net17025.com</u> Bank account: 6250.05.22351
Web: <u>www.net17025.com</u> GPS: 59°03'25" N 9°40'70" E