



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS

CERTIFICATE NO .: NET5001A

Holder of certificate: Frantek Formblåsning AB, Sweden

Manufacturer: Frantek Formblåsning AB Gålsjö SE-690 45 Åsbro SWEDEN

Packaging
codeDescriptionProdut identificationMaterial3H1Plastics jerrican with
non-removable head2.5 I. jerrican,
drawing nr. W 3095 AHDPE, Sabic B5823

Closing mechanism:	Closure type	Producer	Product identification	Material	Gasket	Closing torque
	Screw cap	Modulpac AB	PPM40	HDPE, ExxonMobil	Alkozell	5 Nm
				HYA 600		

Photo:

Product:



Dimensions:

Packaging weight, g	Volume, litre	Length, mm	Width, mm	Height, mm
95.9 - 100.7	2.5	155	100	245

Marking on packaging:

: 🛞 3H1/Y1.5/100/YR/N/NET5001A – ID

"YR" to be replaced with the two last digits of the year. "ID" to be replaced by any identification as decided by the manufacturer. The packaging shall also be appropriately marked with the month of the manufacture.



Approval:	NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations on Transportation of Dangerous Goods on road and railway § 11-1, 7th segment. NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet): RSR-13-2008 (02.09.2008).
Regulations based upon for approval:	ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road. RID, International Regulations on Transport of Dangerous Goods by Rail. UN Recommendations on the Transport of Dangerous Goods. IMDG, International Maritime Dangerous Goods Code, for sea transport. ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air. IATA Dangerous Goods Regulations, for the air transport.
Approval is valid for:	The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions. Liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the standard liquids listed below.

Packaging groups	Content	Max. relative density	Max. vapour pressure, kPa at +50°C
II and III	acetic acid	1.1	114
II and III	water	1.5	114
II and III	white spirit	1.0	114

Documents based upon for approval:	Report id.	Date	Issued by	Scope
	NET5001A	15.01.2010	NET	Type approval

Lerum, Sweden:

25.01.2010

SumeDally

Susanne Dahlberg Certification Officer

Nordisk Emballasje Testing AS Certification

Certificate is valid until:

31.01.2015

IME

Rune Madsen Fink Control Officer