




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6601D**

HOLDER OF CERTIFICATE:
RPC Promens Bjæverskov AS

MANUFACTURER: RPC Promens Bjæverskov AS, Industrivej 3, DK-4632 Bjæverskov, Denmark

MARKING ON PACKAGING:  **3H1/Y1.6/150/YR/N/NET6601D - ID**
 "YR" to be replaced with the two last digits of the year.
 "ID" to be replaced by any identification as decided by the manufacturer.
 The packaging shall also be appropriately marked with the month of the manufacture.


PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	non-removable head	Promens_5_5L	Marlex HXM 50100
3H1, Plastics jerricans	non-removable head	Promens_5L	Marlex HXM 50100

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque Nm
1: Screw cap	Promens Packaging Ltd	V 6125-OV	Hostalen ACP 5331 A	PTFE/EPE 200/PET	20
2: Screw cap	BERICAP GmbH	ENG-00-008695	Rigidex HD5050EA	ALKOzell 300	20
3: Screw cap	BERICAP GmbH	ENG-00-057347	Rigidex HD5050EA	Pulp TT2-562	20




DIMENSIONS:

Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
250.7 - 265.3	5.5	265	150	193	61
238.1 - 251.9	5.0	246	150	193	61

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C
Water	1.6	142
Acetic acid	1.1	142

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6601D	05.05.2015	NET	Type approval

LERUM, SWEDEN

12.05.2015 CERTIFICATE IS VALID UNTIL:

31.05.2020

A handwritten signature in blue ink, appearing to read 'Susanne Dahlberg'.

Susanne E. Dahlberg
Certification Officer

A handwritten signature in blue ink, appearing to read 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification