




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6705C**

HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321
Ulricehamn, Sweden




MARKING ON PACKAGING:  **1A2/YKG/S/YR/N/NET6705C - ID**
"KG" to be replaced with maximum gross weight.
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2. Steel drum, removable head.	UN-pail 285 mm with two beads.	Steel sheet TS 275 (T57)

CLOSING MECHANISM:

#: Closure type	Producer	Material	Thickness, mm	Gasket	Drawing
1: Ring-latch lid with or without plastic plug HZ 655 SA	Emballator Ulricehamns Bleck AB	Steel sheet	0.42	PVC	66244-01. 131030 6666-01, 110502
2: Lug lid with or without plastic plug HZ 655 SA	Emballator Ulricehamns Bleck AB	Steel sheet	0.49	PVC	66108-02, 030908 66202-02, 030908



DIMENSIONS:

#: Volume, l	Height, mm	Diameter, mm	Body / Bottom, mm	Drawing
1: 20	369	285	0.38 / 0.38	6611-03, 15112
2: 15	291	285	0.38 / 0.38	6631-03. 15112
3: 12	234	285	0.38 / 0.38	6607-04, 130322
4: 10	212	285	0.38 / 0.38	6605-02, 030908

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 UN Recommendations on the Transport of Dangerous Goods.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials in accordance with table below. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Content	Max. gross weight, kg	Packaging #	Closure #
Solid substances	36	1	1-2
Solid substances	27	2	1-2
Solid substances	21	3	1-2
Solid substances	18	4	1-2

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
92M12023	27.08.1992	SP	Type approval
93M12463A	06.12.1993	SP	Type approval
97H60374A	17.07.1997	SP	Type approval
98H60577	04.03.1998	SP	Type approval
F311311	17.06.2004	SP	Type approval and technical evaluation
P501347A	24.10.2005	SP	Type approval
NET67TE05	16.11.2015	NET	Technical evaluation

LERUM, SWEDEN

16.11.2015 CERTIFICATE IS VALID UNTIL:

30.11.2020



Susanne E. Dahlberg
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification