



# PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3313B

# HOLDER OF CERTIFICATE: **Greif Sweden AB**

MANUFACTURER: Greif Sweden AB, Västerhaninge, Industrivegen 2-4, SE-137 23

Västerhaninge, Sweden

MARKING ON PACKAGING: (1) 1A1/X1.4/250/YR/N/NET3313B - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

# **PRODUCT:**

Packaging code	Description	Material
1A1	Steel drums, non-removable head	Steel DC01

# **CLOSING MECHANISM:**

#: Closure type	Drawings	Material	Gasket	Torque
1: 2" bung	TSN-925089	Steel	PE/EPDM/Nitril	20 Nm
2: 3/4" bung	TSN-925096	Steel	PE/EPDM/Nitril	15 Nm
3: 2" bung	TSF-504622	Nylon	PE/EPDM/Nitril	20 Nm
4: 3/4" bung	TSF-504950	Nylon	PE/EPDM/Nitril	15 Nm
5: 3/4" bung	TSF-504950	PP	PE/EPDM/Nitril	15 Nm







# **DIMENSIONS:**

Volume, I	Height, mm	Diameter, mm	Head / Body /	Drawing
			Bottom, mm	
216.5	882	585	1.0 / 0.8 / 1.0	55-0810 TH-2G-10

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



# APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

#### **REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

# **APPROVAL IS VALID FOR:**

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

Content	Max. relative density	Max. vapour pressure,	Packaging group
		kPa at +50°C	
Liquid substances that do	1.4	200	I
not adversely affect the			
packaging materials			
Liquid substances that do	1.8	200	II and III
not adversely affect the			
packaging materials			

# **DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
92M12268	04.05.1993	SP	Type approval
94H12171	18.08.1994	SP	Technical evaluation
98H60642	13.08.1998	SP	Technical evaluation
NET0336B	15.04.2011	NET	Type approval
NET03T15	27.02.2012	NET	Selective test, gasket
NET0706C	21.01.2014	NET	Type approval
NET33T01	01.12.2014	NET	Type approval
NET0706A-2	20.01.2016	NET	Slective test, plastic
			bung
NET33TE04	08.06.2016	NET	Technical evaluation,
			bungs and gasket

NET3313B Page 2 of 3

Nordisk Emballasje Testing AS Blekebakkvegen 45 N-3950 Brevik Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





LERUM, SWEDEN

**22.06.2016** CERTIFICATE IS VALID UNTIL:

30.06.2021

Susanne E. Dahlberg Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u> VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E