



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6603C**

HOLDER OF CERTIFICATE:
RPC Promens Bjæverskov AS

MANUFACTURER: RPC Promens Bjæverskov AS, Industrivej 3, DK-4632 Bjæverskov, Denmark

MARKING ON PACKAGING:  **3H1/Y1.6/150/YR/N/NET6603C - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.


The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1	Plastics jerricans, non-removable head	CHR 20L	Hostalen ACP 5331 A
3H1	Plastics jerricans, non-removable head	CHR 15L	Hostalen ACP 5331 A

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket	Torque
Screw cap	KTH GmbH	V 6126-OV	Marlex HXM 50100	Alveocel	20 Nm
Screw cap	Sabeu GmbH	37600xRev.5	Lupolen 4261 A	Alveocel	20 Nm
Screw cap	RPC Promens Industrial UK	V 6125-OV	Total SI 508	EPE 200	20 Nm
Screw cap	Bericap GmbH	ENG-00-008695	Ineos Rigidex HD5050EA	ALKOzell 300 PE	16 Nm
Screw cap	Bericap GmbH	ENG-00-557347	Ineos Rigidex HD5050EA	Pulp TT2-562	16 Nm



DIMENSIONS:

Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
802.3 - 947.7	20.0	395	237	277	49.2
686.0 - 810.6	15.0	315	237	277	49.2

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C
Water	1.6	142
Acetic acid	1.1	142

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6603C	17.12.2015	NET	Type approval
NET6603A	09.07.2014	NET	Additional test, cap
NET6603A4	17.12.2015	NET	Additional test, new cap
NET6603C2	14.10.2016	NET	Additional test, increased weight

LERUM, SWEDEN

25.10.2016 CERTIFICATE IS VALID UNTIL:

31.10.2021


Susanne E. Dahlberg
 Certification Officer



Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS Certification