




**PRODUCT APPROVAL OF PACKAGING  
FOR TRANSPORTATION OF DANGEROUS GOODS  
CERTIFICATE NO.: NET6711A**

HOLDER OF CERTIFICATE:  
**Emballator Ulricehamns Bleck AB**

**MANUFACTURER:** Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321 Ulricehamn, Sweden  
Emballator UK Ltd, Unit 1, City Link Industrial Estate, Phoenix Way, Bradford BD4 8JP, United Kingdom



**MARKING ON PACKAGING:**  **1A2/Y1.6 Z2.4/100/YR/N/NET6711A - ID**  
"YR" to be replaced with the two last digits of the year.  
"ID" to be replaced by any identification as decided by the manufacturer.




**PRODUCT:**

Packaging code	Description	Material
1A2, steel drums, removable head	UN-pail 285 with two, one or none beads.	Steel sheet TS 275 (T57)

**CLOSING MECHANISM:**

#: Closure type	Drawings	Material	Gasket
1: Lug lid with plastic closure S2	66205-01, 66207-01	Steel sheet	PVC compound
2: Lug lid with plastic closure HZB	66206-01, 66208-01	Steel sheet	PVC compound
3: Lug lid	66210-01	Steel sheet	PVC compound
4: Lug lid 50 mm spout center	100604	Steel sheet	PVC compound
5: Lug lid with plastic closure P2	100634	Steel sheet	PVC compound





**DIMENSIONS:**

#: Volume, l / no of beadings	Height, mm	Diameter, mm	Head / Body / Bottom, mm	Drawing
1: 10 / 0-2	212 / 225	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6638-01
2: 12 / 0-2	238 / 240	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6639-01
3: 15 / 1-2	295	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6643-01
4: 20 / 1-2	372	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6644-01
5: 25 / 1	460	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6645-01

**APPROVAL:**

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

**REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.  
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 RID, International Regulations on Transport of Dangerous Goods by Rail.  
 IMDG, International Maritime Dangerous Goods Code, for sea transport.  
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.  
 IATA, Dangerous Goods Regulations, for the air transport.

**APPROVAL IS VALID FOR:**

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials in accordance with table below. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid	1.6	114	II
Liquid	2.4	114	III

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
P004073	21.02.2000	SP	Type testing
P302169	16.05.2003	SP	Type testing
P502911A	16.06.2005	SP	Type testing
P503764	09.12.2005	SP	Type testing

NET0325A	30.05.2008	NET	Technical evaluation
P900604	17.04.2009	SP	Type testing
NET6711TE01	28.04.2009	NET	Technical evaluation
NET67T01	06.07.2010	NET	Type testing
NET6711A	30.11.2012	NET	Type testing
NET6711A-1	17.12.2013	NET	Type testing
NET6711A2	15.04.2015	NET	Selective testing

LERUM, SWEDEN

**09.03.2017** CERTIFICATE IS VALID UNTIL:

**31.03.2022**


 Susanne E. Dahlberg  
 Certification Officer



 Rune Madsen Fink  
 Control Officer

*Nordisk Emballasje Testing AS Certification*