



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET8702A

HOLDER OF CERTIFICATE:
Autoliv Sweden AB

MANUFACTURER: Autoliv Sweden AB, Wallentinsvägen 22 SE-447 83 VÅRGÅRDA
SWEDEN

MARKING ON PACKAGING:  **50HW/Z/MMYY/N/NET8702A - ID /1035/400**

"MMYY" to be replaced with the month and year (last two digits) of manufacture.

"ID" to be replaced by any identification as decided by the manufacturer.

"W" due to deviating design, according to ADR 6.6.4.3, pallet performed in wood.

The packaging shall also be appropriately marked in accordance with ADR 6.6.3.3 (Label with max stacking load)

PRODUCT:


Packaging code	Description	Drawings	Material
50HW	Plastics large packaging, deviating design	8717net02rev0	Plastic / wood

CLOSING MECHANISM:

Closure type	Description	Dimensions	Material
Lid	Sheet of plywood	12 mm thickness	4 layer pine
Transport straps	3 on the long side, 3 on the short side	12 * 0.6 mm	PP

OTHER PARTS:

Type	Description / weight, kg	Drawing	Material	Dimensions, mm
Inner receptacle	30 pc of plastic boxes	E2598461	Etilinas HD6070UA	300*400*180
Pallet	One pallet for mechanical handling / 12	Europall	Wood	1200*1000*120



DIMENSIONS:

Volume, l	Length, mm	Width, mm	Height, mm
900	1200	1000	745

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

APPROVAL IS VALID FOR:

The packaging is approved for packaging group III, and shall always be used according to the requirement of the applicable UN-code and for this large packaging especially packaging instruction LP902. The content shall not adversely affect the packaging materials.

Content	Stacking load / Max. gross weight, kg
UN3268, horizontal generators, 3 layers in each box, 30 boxes on each pallet divided on 3 heights	1035 / 400

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET8702A	16.12.2016	NET	Type approval

LERUM, SWEDEN

31.01.2017 CERTIFICATE IS VALID UNTIL:

31.01.2022

A handwritten signature in blue ink, appearing to read 'Susanne Dahlberg'.

Susanne E. Dahlberg
Certification Officer

A handwritten signature in blue ink, appearing to read 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification