



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6203A**

HOLDER OF CERTIFICATE:

Peterson Packaging AS, Denmark

MANUFACTURER: Peterson Packaging AS, Denmark, Mirabellevej 16, DK-8930 Randers, Denmark

MARKING ON PACKAGING:  **4G/Y25/S/YR/N/NET6203A-ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Drawings	Material
4G	Glued, fibreboard boxes	327180D1	C210

CLOSING MECHANISM:

Closure type	Dimensions	Material
Tape	50 mm, centre on top, 130 mm down from edge on each side	Reinforced PE

INNER PACKAGING:

Type	Description	Material	Dimensions
Plastic bag	Trioplast	PE	0.11 mm thick
Biogrip container	1H2/Y1/S/10/F/LNE/C02 0797-1/AP	PP	0.6 l
Biogrip container	1H2/Y2/S/11/F/LNE/B11 0079-4/AP	PP	2.0 l
Biogrip container	1H2/Y1.6/S/10/Dk/ETi-0 5019 USON	PP	5.0 l



DIMENSIONS:

Volume, l	Length, mm	Width, mm	Height, mm
97.0	375	325	785

APPROVAL:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.
 ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

Packaging group II and III. The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction. The content may not adversely affect the packaging material.

Content	Max. gross weight, kg
Solid substances, Clinical waste - UN3291, provided there is sufficient absorbent material to absorb the entire amount of liquid present. If not in biogrip containers, the packaging is not allowed to contain sharp objects such as broken glass and needles. All kind of combinations of inner packaging are allowed.	25

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6203A	26.04.2012	NET	Type testing

PORSGRUNN, NORWAY

01.06.2017 CERTIFICATE IS VALID UNTIL:

30.06.2022



Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification