



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET4004A**

HOLDER OF CERTIFICATE:
Peterson Packaging AB

MANUFACTURER: Peterson Packaging AB, Box 51, SE-668 40 Bäckefors, Sweden

MARKING ON PACKAGING: ⓘ **4G/Y15/S/YR/N/NET4004A - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Material
4G	Fibreboard boxes, design 0216	Details in report

CLOSING MECHANISM:

Closure type	Dimensions, mm	Material
Tape	50 mm	PVC
Tape	50 mm	Glass fibre, cross armed
Strip	3,6 mm	Nylon

INNER PACKAGING:

Type	Description	Material	Dimensions
Inner liner	Closed with nylon strip	LLD/LD	0,16 mm



DIMENSIONS:

Volume, l	Length, mm	Width, mm	Height, mm	Drawing
48.5	365	365	364	839227

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code 3291 and its packaging instruction P621.

Content	Max. gross weight, kg	Packaging group
Solid substances in inner packaging that do not adversely affect the packaging materials. UN3291 provided there is sufficient absorbent material to absorb the entire amount of liquid present.	15	II and III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET4004A	22.12.17	NET	Type approval

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

11.01.2018 CERTIFICATE IS VALID UNTIL:

31.01.2023



Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

