



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET0230C

HOLDER OF CERTIFICATE: RPC Promens AS, Kambo

MANUFACTURER:

RPC Promens AS, Kambo, Boks 3054, N-1506 Moss, Norway

MARKING ON PACKAGING: () 1H1/Y1.9/150/YR/N/NET0230C - ID

"YR" to be replaced with the two last digits of the year. "ID" to be replaced by any identification as decided by the manufacturer. The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code / volume	Description	Drawings	Material
1H1, 1 L	Plastics drums,	B-30981 / 9339	Marlex HXM 50100
	non-removable head		

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque
1: Screw cap	Modulpac AB	8320014 rev.3	HDPE, details in	none, cone	3 Nm
			report		





DIMENSIONS:

Packaging weight, g	Volume, I	Height, mm	Diameter, mm	Neck size, mm
46.7 - 79.9	1.0	256.5	83.5	32



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances listed in the table below and liquids covered by the standard liquids according to the assimilation list in ADR 4.1.1.21.6. Permeability test has been carried out according to ADR 6.1.5.7.

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	
Water	1.9	142	
Wetting solution	1.2	142	
Acetic acid	1.1	142	
n-Butyl acetate	1.0	142	
White spirit	1.0	142	
Megarens, UN3264	1.2	142	

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0230C	19.07.2017	NET	Type approval
NET0212C	17.08.2017	NET	Additional type test,
			increased weight
NET0212C3264	11.01.2018	NET	Additional type test,
			UN3264

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495 and ISO13274.





INTERNATIONAL CERTIFICATE

PORSGRUNN, NORWAY

13.02.2018 CERTIFICATE IS VALID UNTIL:

28.02.2023

lacir M. Johan

Geir Morten Johansen Certification Officer

Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

