



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET8901A

HOLDER OF CERTIFICATE: Baltic Packaging A/S

MANUFACTURER: Baltic Packaging A/S, Kirstinehøj 4, 2770 Kastrup, Denmark

MARKING ON PACKAGING: (1) 1A2/Y2.0 Z3.0/100/YR/N/NET8901A - ID

"YR" to be replaced with the two last digits of the year.


"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2. Steel drum, removable head	Steel drum without bead	Steel

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket
Lid with reinforced	Baltic Packaging	5L ConsafeX 2.0	Steel / PP	PVC glue
plastic ring				





DIMENSIONS:

Volume, I	Height, mm	Diameter D / d, mm	Head/Body/Bottom, mm	Drawing
5	223.4	202.5 / 184.6	0.26 / 0.24 / 0.30	5L ConsafeX 2.0

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

Only valid for liquid substances that do not adversely affect the packaging materials, and shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Content	Max. relative density	Packaging group	Max. vapour pressure
			kPa at +50 °C
Liquid	2.0	II	114
Liquid	3.0	III	114

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET8901A	25.11.2014	NET	Type Approval
NET8901A2	25.02.2015	NET	Additional type test
NET8901A3	03.03.2015	NET	Additional type test
NET8901A4	12.05.2018	NET	Additional type test,
			increased density

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



NET8901A Page 2 of 3

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





PORSGRUNN, NORWAY

Caci M. Johan

14.05.2018 CERTIFICATE IS VALID UNTIL:

31.05.2023

Geir Morten Johansen Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u> VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E