



# PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET9703A

# HOLDER OF CERTIFICATE: **Muovi-helianko OY**

MANUFACTURER: Muovi-heljanko OY, Mustanlähteentie 5, 07230 Monninkylä, Finland

# MARKING ON PACKAGING:

(1) 3H1/Y1.2/150/YR/N/NET9703A - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

#### PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	non-removable head, 5 l	505 Rev.C	HDPE / Multilayer
3H1, Plastics jerricans	non-removable head, 4 l	504 Rev.C	HDPE / Multilayer
3H1, Plastics jerricans	non-removable head, 3 l	503 Rev.C	HDPE / Multilayer

# **CLOSING MECHANISM:**

Closure type	Producer	Drawings	Material	Gasket	Torque
Child resistant,	Emballator	40-255 / 901G,	ACP4561 /	EPE/ALU	5 Nm
screw cap	Växjöplast AB	12436	MB7541		





# **DIMENSIONS:**

#: Packaging	Volume, I	Length, mm	Width, mm	Height, mm	Neck size, mm
weight, g					
1: 187.0-200.1	5.0	191.6	128.0	322.0	40 mm
2: 161.1-172.2	4.0	191.6	128.0	275.0	40 mm
3: 137.3-146.8	3.0	191.6	128.0	232.0	40 mm

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



#### APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

# **REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

#### APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging #
White spirit	1.2	142.9	1,2,3

### **DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope	
NET9703A	01.08.18	NET	Type approval	
NET97TE02	01.08.18	NET	Technical evaluation:3,4	

#### **TEST STANDARD:**

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495 and ISO13274.



NET9703A Page 2 of 3

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





PORSGRUNN, NORWAY

Caci M. Johan

**21.08.2018** CERTIFICATE IS VALID UNTIL:

31.08.2023

Geir Morten Johansen Certification Officer Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E