



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET4002A

HOLDER OF CERTIFICATE:
Peterson Packaging AB

MANUFACTURER: Peterson Packaging AB, Box 51, SE-668 40 Bäckefors, Sweden

MARKING ON PACKAGING:  **4G/YKG/S/YR/N/NET4002A - ID**

"KG" to be replaced with max gross weight according to table below.

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:


Packaging code	Description	Material
4G, fibreboard box	Design : 0203PC	170/105*3/170

CLOSING MECHANISM:

Staples	Producer / Identification	Material
3 pc in bottom / 3 pc in top	JK561-15	Steel

INNER PACKAGING:

Type	Description	Material	Thickness
Acid-proof plastic bag	closed with tape	LD PE	0.055 mm
EPS	as cushion material in all sides except bottom	EPS	18 mm
Absorbent pad	in the bottom of the bag to collect spill of acid	Absorbent	-
Tape	50 mm	PVC	0.05 mm



DIMENSIONS:

Drawing	Length, mm	Width, mm	Height, mm	Volume, l
829710	320	215	222	15.5
829709	460	280	255	32.8

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction for packaging group II and III.

Content	Max. gross weight, kg
UN2794-Volvo battery: 30644962, 30659794, 30659797, 30659798	21.0
UN2794-Volvo battery: 30659795, 30659796, 30659799, 30659800	27.0

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET4003A	21.03.2012	NET	Type approval

NET4002A-1	21.03.2012	NET	Type approval
NET4002A-2	06.02.2014	NET	Type approval

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

28.02.2019 CERTIFICATE IS VALID UNTIL:

29.02.2024


Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification