



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NETO2508

HOLDER OF CERTIFICATE: RPC Promens AS, Kambo

MANUFACTURER: RPC Promens AS, Kambo Packaging, Boks 3054, N-1506 Moss,

Norway.

Emballator Mellerud Plast AB, Industrigatan 2, S-464 22 Mellerud

SWEDEN

MARKING ON PACKAGING: (3H1/Y1.9/200/YR/N/NET0250B - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	non-removable head	W3405 Rev.A (65 mm)	Marlex HXM 50100
3H1, Plastics jerricans	non-removable head	W3405 Rev.B (60 mm)	Marlex HXM 50100
3H1, Plastics jerricans	non-removable head	W3405 Rev.C (20 I)	Marlex HXM 50100

CLOSING MECHANISM:

#: Screw cap	Producer	Drawings	Material	Gasket	Torque
1: 61 mm	Bergi-plast	Kanisterverschlu	HDPE	EPE liner	20 Nm
	GmbH	ss nr. 61 rev 8			
2: 61 mm	RPC Promens	RPC Promens	HDPE	EPE liner	20 Nm
	Industrial UK	DIN 61 Ver.2			
3: 61 mm	Emballator	12575 18.08.15	HDPE	EPE/PET,	20 - 25 Nm
	Växjöplast AB			EPE/IHS,	
				EPE/ALU	
4: 61 mm	SABEU	37600x Rev.5	HDPE	EPE 300	20 Nm
	Kunststoffwerke				
	Northeim GmbH				
5: 25 mm	Modulpac AB	7250001	HDPE	ALKOzell	3 Nm
6: 61 mm	Bergi-plast	00-1837	HDPE	EPE liner	25 Nm
vented	GmbH				
7: 65 mm	AS OM BE Plast	Promens 65 mm	HDPE	EPDM	25 Nm
		m/PE Foam			
8: 65 mm	AS OM BE Plast	Promens 65 mm	HDPE	PE foam	25 Nm
		m/PE Foam			

Telephone +47 900 17025

E-mail: info@net17025.com

Web: www.net17025.com







DIMENSIONS:

#: Weight of	Volume, I	Height, mm	Width, mm	Length, mm	Neck size, mm
jerrican, g					
1: 1051.2 -	25.0	440	260	295	61 / 25
1517.0					
2: 1490.1 -	25.0	440	260	295	65 / 25
1574.9					
3: 920.7 -	20.0	370	260	295	61 / 25
1331.9					

 NET0250B
 Page 2 of 4

 Telephone
 +47 900 17025

 E-mail:
 info@net17025.com

 Web:
 www.net17025.com



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions. Permeability test has been carried out according to ADR 6.1.5.7. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure,	Jerrican # /Closure #
		kPa at +50°C	
Water	1.9	171	1,3 / 1-3,5
Nitric Acid	1.4	171	1,3 / 1-3,5,6
Wetting solution	1.2	171	1,3 / 1-3,5
Acetic Acid	1.2	171	1,3 / 1-3,5
n-Butyl acetate	1.0	171	1,3 / 1-3,5
Mixture of hydrocarbons	1.0	171	1,3 / 1-5
Formic Acid/Sodium	1.4	171	2 / 7,8
formate solution,			
UN3412			
Formic Acid, 85%,	1.2	171	2 / 7,8
UN3412			

DOCUMENTS BASED UPON FOR APPROVAL:

DOCUMENTS BASED OFON FOR APPROVAL.				
Date	Issued by	Scope		
13.01.2016	NET	Type approval		
13.01.2016	NET	Additional type test, cap		
02.12.2015	NET	Additional type test, cap		
05.04.2016	NET	Type approval,		
		production site		
11.05.2016	NET	Technical evaluation, 20L		
21.10.2016	NET	Additional type test, NA		
29.05.2017	NET	Technical evaluation,		
		decrease inner Ø		
	13.01.2016 13.01.2016 02.12.2015 05.04.2016 11.05.2016 21.10.2016	13.01.2016 NET 13.01.2016 NET 02.12.2015 NET 05.04.2016 NET 11.05.2016 NET 21.10.2016 NET		

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>





NET0250B7	10.08.2017	NET	Typetest, Sabeu
NET16T04	02.01.2017	NET	Including liners
No.170129	24.08.2017	TÜV	Vented cap
NET0250B13	13.06.2018	NET	Additional type test,
			UN3412

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495 and ISO13274.



PORSGUNN, NORWAY

29.08.2018 CERTIFICATE IS VALID UNTIL:

Control Officer

31.08.2023

Geir Morten Johansen Certification Officer

Cari M. Johan

Nordisk Emballasje Testing AS Certification

NET0250B Page 4 of 4

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>