



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6601C

HOLDER OF CERTIFICATE:

RPC Promens Bjæverskov AS

MANUFACTURER: RPC Promens Bjæverskov AS, Industrivej 3, DK-4632 Bjæverskov,

Denmark

MARKING ON PACKAGING: 3H1/Y1.9/150/YR/N/NET6601C - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	non-removable head	Promens_5_5L	Hostalen ACP 5331 A
3H1, Plastics jerricans	non-removable head	Promens_5L	Hostalen ACP 5331 A

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque Nm
1: Screw cap,	Promens	V 6125-OV	Hostalen ACP	PTFE/EPE	20
61 mm	Packaging Ltd		5331 A	200/PET	
2: Screw cap,	BERICAP GmbH	ENG-00-008695	Rigidex	ALKOzell 300	20
61 mm			HD5050EA		
3: Screw cap,	BERICAP GmbH	ENG-00-057347	Rigidex	Pulp TT2-562	20
61 mm			HD5050EA		
4. Screw cap,	Borring Plast AS	02.1633.A	Exxon Mobil	none	5
43 mm			HMA 014		







NET6601C Page 1 of 3

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E









DIMENSIONS:

D1112110101101					
#: Packaging	Volume, I	Height, mm	Width, mm	Length, mm	Neck size, mm
weight, g					
1: 250.7 -	5.5	265	150	193	61
349.6					
2: 238.1 -	5.0	246	150	193	61
332.0					
3: 238.1 -	5.0	246	150	193	43
332.0					

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB):

Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials.

Permeability testing has been carried out according to ADR/RID 6.1.5.7 with white spirit.

Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure,	Packaging # / Closure #
		kPa at +50°C	
Water	1.9	114	3 / 4
Water	1.6	142	1,2,3 / 1,2,3,4
Nitric acid	1.4	114	3 / 4
Wetting agent	1.2	114	3 / 4
Acetic acid	1.1	142	1,2,3 / 1,2,3,4

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





Mixture of	1.0	114	3 / 4
hydrocarbons			
n-Butylacetate	1.0	114	3 / 4

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6601C	05.05.2015	NET	Type approval
NET6601C2	13.01.2016	NET	Additional test, new
			neck, water
NET6601C3	09.02.2016	NET	Additional test, increased
			weight
NET6601C4	01.04.2016	NET	Additional test, new
			neck; wa, n-Ba, ws, aa
NET6601C4-NA	04.10.2016	NET	Additional test, Nitric
			acid

LERUM, SWEDEN

07.11.2016 CERTIFICATE IS VALID UNTIL:

Rune Madsen Fink

Control Officer

30.11.2021

Susanne E. Dahlberg Certification Officer

Nordisk Emballasje Testing AS Certification

NET6601C Page 3 of 3

Telephone +47 900 17025
E-mail: info@net17025.com
Web: www.net17025.com

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E