



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NETO105A

HOLDER OF CERTIFICATE: Emballator Mellerud Plast AB

MANUFACTURER:

Emballator Mellerud Plast AB, Box 83, SE-464 22 Mellerud, SWEDEN

MARKING ON PACKAGING: () 1H1/Y1.0/100/YR/N/NET0105A - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawing	Material
1H1	Plastics drums,	HU1566-280-300	HDPE, Sabic B5210
	non-removable head	20140116	
1H1	Plastics drums,	HU1566-320-300	HDPE, Sabic B5210
	non-removable head	19970903	

CLOSING MECHANISM:

#: Screw cap	Producer	Drawings	Material	Gasket	Torque
1: 32 mm	Emballator	12485	HDPE	None	2 - 3 Nm
	Växjöplast AB				
2: 28 mm	Emballator	12484	Borealis BL	None	2 - 3 Nm
	Växjöplast AB		2631		
3: 32 mm child	Modulpac AB	8320004	BPA 402CB12 /	Alkozell	2 - 3 Nm
resistant			Exxon HMA 025		
4: 32 mm child	Emballator	12524	HDPE / HDPE	None	3 Nm
resistant	Växjöplast AB				





DIMENSIONS:

#:Weight of drum,g	Volum, I	Height, mm	Diameter, mm	Neck size, mm
1: 66-71	1.5	290	92	28
2: 66-71	1.5	288	92	32

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Drum #	Screw cap #
Wind shield liquid,	1.0	114	28 mm neck	2
UN1170, UN1993				
Wind shield liquid,	1.0	114	32 mm neck	1,3,4
UN1170, UN1993				

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0105A	02.08.2007	NET	Type approval



NET0103A3	03.12.2018	NET	Additional test cap
			12485, 12524

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495 and ISO13274.

PORSGRUNN, NORWAY

23.01.2019 CERTIFICATE IS VALID UNTIL:

NORSK AKKREDITERING TEST 259

31.01.2024

laci M. Johan

Geir Morten Johansen Certification Officer

Nordisk Emballasje Testing AS Certification

Rune Madsen Fink Control Officer

NET Emballasje- og Produkttesting AS Blekebakkvegen 45 N-3950 Brevik
 NET0105A
 Page 3 of 3

 Telephone
 +47 900 17025

 E-mail:
 info@net17025.com

 Web:
 www.net17025.com

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E