




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6711A**

HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321 Ulricehamn, Sweden
Emballator UK Ltd, Unit 1, City Link Industrial Estate, Phoenix Way, Bradford BD4 8JP, United Kingdom






MARKING ON PACKAGING:  **1A2/Y1.6 Z2.4/100/YR/N/NET6711A - ID**
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2, steel drums, removable head	UN-pail 285 with two, one or none beads.	Steel sheet TS 275 (T57)

CLOSING MECHANISM:

Lug lid	Drawings	Material	Gasket
serie 285	66210-01	Steel sheet	PVC compound
with plastic closure HZB, side	66206-01 (72mm), 66208-01 (94mm)	Steel sheet	PVC compound
with plastic closure S2, side	66205-01 (72mm), 66207-01 (94mm)	Steel sheet	PVC compound
with plastic closure P2, side	100634 (86mm)	Steel sheet	PVC compound
with plastic closure S2, center	100458	Steel sheet	PVC compound
with plastic closure HZB, center	100459	Steel sheet	PVC compound
with 50 mm spout, center	100604	Steel sheet	PVC compound



DIMENSIONS:

Volume, l / no of beadings	Height, mm	Diameter, mm	Head / Body / Bottom, mm	Drawing
10 / 0-2	212 / 225	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6638-01
12 / 0-2	238 / 240	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6639-01
15 / 1-2	295	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6643-01
20 / 1-2	372	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6644-01
25 / 1	460	285	0.43 / 0.36 or 0.38 / 0.36 or 0.38	6645-01

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely

affect the packaging materials in accordance with table below. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid	1.6	114	II
Liquid	2.4	114	III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
P004073	21.02.2000	SP	Type testing
P302169	16.05.2003	SP	Type testing
P502911A	16.06.2005	SP	Type testing
P503764	09.12.2005	SP	Type testing
NET0325A	30.05.2008	NET	Technical evaluation
P900604	17.04.2009	SP	Type testing
NET6711TE01	28.04.2009	NET	Technical evaluation
NET67T01	06.07.2010	NET	Type testing
NET6711A	30.11.2012	NET	Type testing
NET6711A-1	17.12.2013	NET	Type testing
NET6711A2	15.04.2015	NET	Selective testing
NET67TE11	25.02.2019	NET	Technical evaluation

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

25.02.2019 CERTIFICATE IS VALID UNTIL:

29.02.2024


 Geir Morten Johansen
 Certification Officer



 Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS Certification