



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET0357A**

HOLDER OF CERTIFICATE:
Greif Sweden AB

MANUFACTURER: Greif Sweden AB, Box 23, SE-311 23 Falkenberg, Sweden

MARKING ON PACKAGING:  **1H1/Y/250/YR/N/NET0357A - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.


The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code / Volume	Description	Drawings	Material
1H1 / 217 L	Plastics drums, non-removable head	F3P-2682 Rev. A	HDPE

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque
1: Plastic bung 70x6	Tri-Sure	TSF-2100020	Borealis BC250MO	EPDM	20 Nm
2: Plastic bung 38x6	Tri-Sure	ASP-6363	Borealis BC250MO	EPDM	20 Nm
3: Plastic bung 70x6 with 3/4"	Tri-Sure	TSF-2000032	Borealis BC250MO	PE	20 Nm



DIMENSIONS:

Packaging weight, g	Volume, l	Height, mm	Diameter, mm
9400 - 9870	217.0	964	590

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Closure #
n-Butylacetate	1.0	200	1,2,3
Original fluid Promyr UN3265	1.2	200	1,2
Original fluid Proens UN2920	1.2	200	1,2
Wetting solution	1.2	200	1,2,3
Acetic acid	1.2	200	1,2,3
Water	1.2	200	1,2,3

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET0357A	01.11.2013	NET	Type approval
NET0357A-1	25.02.2014	NET	Type approval

LERUM, SWEDEN

12.03.2014 CERTIFICATE IS VALID UNTIL:

31.03.2019

A handwritten signature in blue ink, appearing to read 'Susanne Dahlberg'.

Susanne E. Dahlberg
Certification Officer

A handwritten signature in blue ink, appearing to read 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint watermark logo in the background, consisting of a stylized shield or emblem with a central vertical bar and two curved sections on either side.