



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6726A

HOLDER OF CERTIFICATE:

Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321

Ulricehamn, Sweden

MARKING ON PACKAGING: (1) 1A2/Y2.5/100/YR/N/NET6726A - ID

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2 steel drums, removable head	UN-pail 285: welded body/ two	Steel Sheet
	beadings	

CLOSING MECHANISM:

Lug lid	Drawings	Producer	Material	Gasket
Plain	91M20794	EUB	Steel sheet	PVC
Ring latch	973091	EUB	Steel sheet	-







DIMENSIONS:

Volume, I	Height, mm	•	, ,	Drawing
		(upper/lower)	Bottom, mm	
12	236	298 / 273	0.49 / 0.38 / 0.38	PX04648
10	212	298 / 273	0.49 / 0.38 / 0.38	P502911D

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials.

Content	,	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid	2.5	114	II

DOCUMENTS BASED UPON FOR APPROVAL:

2 0 0 0 1 1 2 1 1 2 2 1 0 1 1 1 1 1 1 1			
Report id.	Date	Issued by	Scope
91M20794	27.04.1992	SP	Type approval
98H60635	16.10.1998	SP	Type testing
P502911D	17.06.2005	SP	Type testing
PX04648	24.06.2010	SP	Type testing

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



NET6726A Page 2 of 3

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E





PORSGRUNN, NORWAY

25.04.2019 CERTIFICATE IS VALID UNTIL:

30.04.2024

Geir Morten Johansen Certification Officer

acir M. Johan

Rune Madsen Fink Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025
E-mail: <u>info@net17025.com</u>
Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E