




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET8511A**

HOLDER OF CERTIFICATE:
Destructor Recycling AB

1140 kg max



RESPONSIBLE DISTRIBUTOR: Destructor Recycling AB, Verkstadgatan 4, 447 35 Vårgårda, SWEDEN

MARKING ON PACKAGING:  **50H/Y/MMY/N/NET8511A-ID/2053/427**
"MMYY" to be replaced with the month and year (last two digits) of manufacture.
"ID" to be replaced by the name or symbol of the manufacturer.

PRODUCT:

| Packaging code | Description | Drawings | Material |
|----------------|-----------------|----------------------|----------|
| 50H, Plastics | Large packaging | Stacking drawing.stp | PP |

CLOSING MECHANISM:

| Closure type | Producer | Drawings / Description | Material |
|----------------|-------------------|------------------------|----------|
| Strapping band | Any | 12 mm | PP |
| Lid | Details in report | HDPPCB1210-lid | HDPE |

OTHER PARTS:

| Type | Description | Drawing | Material |
|----------------|-------------------|---|----------|
| Sleeve 2 layer | Details in report | TBD Sleeve 2 layers | PP |
| Sleeve 3 layer | Details in report | TBD Sleeve 3 layers | PP |
| Pallet | Details in report | HDPPCB1210-pallet | HDPE |
| Tray | Details in report | EMB 4038-2018-0029-1_rev7 _190205.stp | PP |



DIMENSIONS:

| Packaging #: Volume, l | Length, mm | Width, mm | Height, mm |
|------------------------|------------|-----------|------------|
| 1: 810 | 1215 | 1150 | 580 |
| 2: 565 | 1215 | 1150 | 405 |

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

JT/T617, The Regulations concerning Road Transportation of Dangerous Goods.

APPROVAL IS VALID FOR:

Max. gross weight of this large packaging is 427 kg.

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction.

| Packaging #: Content | Packaging group |
|---|-----------------|
| 1: Lithium ion batteries contained in equipment, UN3480, maximum 27 modules packed in accordance with Deconstructors packaging instructions | II and III |
| 2: Lithium ion batteries contained in equipment, UN3480, maximum 24 modules packed in accordance with Deconstructors packaging instructions | II and III |

DOCUMENTS BASED UPON FOR APPROVAL:

| Report id. | Date | Issued by | Scope |
|------------|----------|-----------|---------------|
| NET8511A | 04.07.19 | NET | Type approval |

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

27.08.2019 CERTIFICATE IS VALID UNTIL:

31.08.2024



Geir Morten Johansen
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

