



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6715A**

HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321 Ulricehamn, Sweden

MARKING ON PACKAGING:  **1A2/Y1.6 Z2.4/100/YR/N/NET6715A - ID**
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

#: Packaging code	Description	Drawings	Material
1: 1A2	Steel drums, removable head	100368	Steel sheet TS275
2: 1A2	Steel drums, removable head	100367	Steel sheet TS275
3: 1A2	Steel drums, removable head	100445	Steel sheet TS275
4: 1A2	Steel drums, removable head	100430	Steel sheet TS275

CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket
Plain lid	Emballator Ulricehamn Bleck	100377	Steel sheet TS275	Polyurethane
Plain lid, steel locking ring, HZB side	Emballator Ulricehamn Bleck	100438	Steel sheet TS275	Polyurethane
Plain lid, steel locking ring, HZB centre	Emballator Ulricehamn Bleck	100451	Steel sheet TS275	Polyurethane
Plain lid, steel locking ring, S2 centre	Emballator Ulricehamn Bleck	100453	Steel sheet TS275	Polyurethane
Locking ring made of steel	Emballator Ulricehamn Bleck	100389	Tata Steel DX51D+Z	-

DIMENSIONS:

#: Volume, l	Height, mm	Diameter, mm (upper/lower)	Head / Body / Bottom, mm
1: 20.0	377	298 / 273	0.43/0.36/0.38
2: 20.0	369	298 / 273	0.43/0.36/0.38
3: 15.0	288	298 / 273	0.43/0.36/0.38
4: 12.0	234	298 / 273	0.43/0.36/0.38

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

REGULATIONS BASED UPON FOR APPROVAL:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials.

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid	1.6	52	II
Liquid	2.4	52	III

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6715A/B	01.06.2011	NET	Type approval
NET6715A-1	27.11.2013	NET	Type approval

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

28.02.2019 CERTIFICATE IS VALID UNTIL:

29.02.2024


A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint watermark logo in the center of the page, consisting of a stylized white cross or star shape with rounded ends, set against a light blue circular background.