

## CERTIFICATE

NET1101A Page 1 of 2

## Product approval of Packaging for Dangerous Goods Certificate no.: NET1101A

	0011	ficate no.				
Holder of certificate:	Gravenhorst Plast A	A/S				
Manufacturer:	Gravenhorst Plast A/S Landerslevvej 60 DK-3630 Jægerpris Danmark					
Product:	Packaging code	Description	Drawings		Material	
	3H1	Blow moulded plastics jerrican with non- removable head	Jerrican, N enclosure 4		Borealis HDPE BL2571	
Closing mechanism:	Closure type	Material in cap	Gasket		Closing torque	
	Screw cap, made by Zar plast	Borealis HDPE BL2571	NBR P2860		3Nm	
Photo:						
Dimensions:	Packaging weight, gram 500	Volume, litre	Height, mm 260	Width, mm	Length, mm	
Approval:	NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations on Transportation of Dangerous Goods on road and railway § 11-1, 7th segment.					
Marking on packaging:	<b>3H1/Y/250/YR/N/NET1101A - ID</b> "YR" to be replaced with the two last digits of the year. "ID" to be replaced by any identification as decided by the manufacturer. The packaging shall also be appropriately marked with the month of the manufacture.					
Porsgrunn:	18.09.2007	7	Certificate	e is valid until:	30.09.2012	
Nordisk Emballasje Tes Certification	sting AS			29	ter	

laci M. Johan

Geir Morten Johansen Certification Officer

June Fuch Rune Madsen Fink Control Officer



## CERTIFICATE

## NET1101A Page 2 of 2

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road. **Regulations based** upon for approval: RID, International Regulations on Transport of Dangerous Goods by Rail. COTIF, Convention concerning International Carriage by rail. UN Recommendations on the Transport of Dangerous Goods. IMDG, International Maritime Dangerous Goods Code, for sea transport. ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air. IATA Dangerous Goods Regulations, for the air transport.

Approval is valid

Packaging groups		Max. Relative Density	Max vapour pressure at +50°C
	Standard liquid: white spirit and acetic acid.	1.1	200 kPa

Basis for certification: Type Approval, additional testing for UN1993, bioethanol E85.

Documents based upon for approval:

Report id.	Date	Issued by	Scope
SSGU02.055	01.05.2002	Borealis	Type approval
NET1101A	04.08.2007	NET	Type approval, additional testing

laci M. Johan

Geir Morten Johansen Certification Officer

Lune F

Rune Madsen Fink **Control Officer**