




**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET6726A**

HOLDER OF CERTIFICATE:
Emballator Ulricehamns Bleck AB

MANUFACTURER: Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321 Ulricehamn, Sweden



MARKING ON PACKAGING:  **1A2/Y2.5/100/YR/N/NET6726A - ID**
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Material
1A2 steel drums, removable head	Serie 285 UN-pail, two beadings	Steel Sheet

CLOSING MECHANISM:

Lug lid	Drawings	Producer	Material	Gasket
Plain	91M20794	EUB	Steel sheet	PVC
Ring latch	973091	EUB	Steel sheet	-



DIMENSIONS:

Volume, l	Height, mm	Diameter, mm (upper/lower)	Head / Body / Bottom, mm	Drawing
12	236	298 / 273	0.49 / 0.38 / 0.38	PX04648
10	212	298 / 273	0.49 / 0.38 / 0.38	P502911D

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials.

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid	2.5	114	II

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
91M20794	27.04.1992	SP	Type approval
98H60635	16.10.1998	SP	Type testing
P502911D	17.06.2005	SP	Type testing
PX04648	24.06.2010	SP	Type testing

PORSGRUNN, NORWAY

25.04.2019 CERTIFICATE IS VALID UNTIL:

30.04.2024

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint watermark logo in the background, consisting of a stylized white cross or star shape with rounded ends, set against a light blue circular background.