




**PRODUCT APPROVAL OF PACKAGING  
FOR TRANSPORTATION OF DANGEROUS GOODS  
CERTIFICATE NO.: NET6734A**

HOLDER OF CERTIFICATE:  
**Emballator Ulricehamns Bleck AB**

**MANUFACTURER:** Emballator Ulricehamns Bleck AB, Maskinvägen 10, SE-52321 Ulricehamn, Sweden



**MARKING ON PACKAGING:**  **1A1/X1.2 Y1.8 Z2.7/250/YR/N/NET6734A-ID**  
"YR" to be replaced with the two last digits of the year.  
"ID" to be replaced by any identification as decided by the manufacturer.

**PRODUCT:**

Packaging code	Description	Material
1A1, Steel drums, non-removable head	Series 105 UN can	Steel Sheet

**CLOSING MECHANISM:**

Pull up	Producer	Drawings	Material
Screw cap with flex spout, P2 DIN	Rieke Germany GmbH	P2	EVA/LDPE/HDPE



**DIMENSIONS:**

Volume, l	Height, mm	Diameter, mm	Head / Body / Bottom, mm	Drawing
0.33	55	105	0.20 / 0.22 / 0.20	100049
0.5	73	105	0.20 / 0.22 / 0.20	100049
0.67	95	105	0.20 / 0.22 / 0.20	100049*
0.75	105	105	0.20 / 0.22 / 0.20	100097*
1.0	133	105	0.20 / 0.22 / 0.20	100097

**APPROVAL:**

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

**REGULATIONS BASED UPON FOR APPROVAL:**

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

**APPROVAL IS VALID FOR:**

The packaging is valid for packaging group I, II and III containing liquid substances that do not adversely affect the packaging materials.

Content	Max. relative density	Max. vapour pressure, kPa at +50°C	Packaging group
Liquid	1.2	200	I
Liquid	1.8	200	II
Liquid	2.7	200	III

**DOCUMENTS BASED UPON FOR APPROVAL:**

Report id.	Date	Issued by	Scope
95h12562	21.10.1995	SP	Type Approval
98h60635	16.10.1998	SP	Additional type test
P700055	27.03.2007	SP	Type approval

PORSGRUNN, NORWAY

16.10.2019 CERTIFICATE IS VALID UNTIL:

31.10.2024



Geir Morten Johansen  
Certification Officer



Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing AS Certification*

