



**PRODUCT APPROVAL OF PACKAGING
FOR TRANSPORTATION OF DANGEROUS GOODS
CERTIFICATE NO.: NET9405A**

HOLDER OF CERTIFICATE:

Lycro As

MANUFACTURER: Lycro As, Hammerbergvegen 6, 7120 Leksvik, Norway

MARKING ON PACKAGING:  **4H2/Y28/S/YR/N/NET9405A - ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

PRODUCT:

Packaging code	Description	Drawings	Material
4H2	Plastics box	11043	Exxon Mobil HMA 035

CLOSING MECHANISM:

Closure type	Drawings	Material	Producer
Plastic lid with 4 flap snaps	11043	PA, Zytel, ST801 NC10	Lycro AS

CUSHIONING MATERIAL

Description	Producer	Material	Dimensions
Custom made to content	Finnfoam OY	XPS, FL300 - 50 P	570*310*170



DIMENSIONS:

Packaging weight, g	Volume, litre	Length, mm	Width, mm	Height, mm
2260	30	570	310	170

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III. The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

The packaging has been considered and approved for explosives.

Content	Max. gross weight, kg
Solid substances that do not adversely affect the packaging materials	28

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET9405A	29.06.2016	NET	Type approval
NET9405A2	29.01.2020	NET	Additional test, increase MBM

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

29.01.2020 CERTIFICATE IS VALID UNTIL:

31.01.2025

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint watermark logo in the center of the page, consisting of a stylized white cross or star shape with rounded ends, set against a light blue circular background.