



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET3249B

HOLDER OF CERTIFICATE:
DS Smith Packaging Sweden AB

MANUFACTURER:

DS Smith Packaging Sweden AB, Bangårdsgatan 2-4,
SE-331 26 Värnamo, SWEDEN

555 kg max



MARKING ON PACKAGING:

 **50G/X/MMYY/N/NET3249B - ID/1000/350**

"MMYY" to be replaced with the Month and year (last two digits) of manufacture.

"ID" to be replaced by the name or symbol of the manufacturer.

The packaging shall also be appropriately marked in accordance with ADR 6.6.3.3.1.

PRODUCT:

Packaging code	Description	Drawings	Material
50G	Large packaging intended for bottom lift.	20-01-2012	Fibreboard. Details in report.

CLOSING MECHANISM:

#: Closure type	Material
1: Tape, 50 mm	Reinforced PE
2: 2 pc of cargo straps	Polyester

INNER PACKAGING:

Plastic bag	Material	Dimensions
Inner liner, 50 µm	PE	3500 x 1865
Inner liner, 100 µm	PE with Impact resistance of 330 g or grater, Tear resistance (MD/TD) of 260 g or grater	Adjust the LP

DIMENSIONS:

Packaging weight, kg	Volume, l	Length, mm	Width, mm	Height, mm
15.7	705	1160	760	800

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirement of the applicable UN-code and its packaging instruction; LP903, LP621 or LLP622 (UN Recommendations only). The content shall not adversely affect the packaging materials.

Content	Max. gross weight, kg	Packaging group
UN3480: One single piece of Lithium Ion battery packed in accordance with DS Smith packaging instructions	350	II
UN3291: CLINICAL WASTE, UNSPECIFIED or (BIO) MEDICAL WASTE, or REGULATED MEDICAL WASTE	350	II
UN3549: MEDICAL WASTE, CATEGORY A, AFFECTING HUMANS, solid or MEDICAL WASTE, CATEGORY A, AFFECTING ANIMALS only, solid	350	I

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET3249B	10.02.2012	NET	Type approval
NET32TE36	08.04.2020	NET	Type approval

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

08.04.2020 CERTIFICATE IS VALID UNTIL:

30.04.2025

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification

A large, faint, light blue background logo in the center of the page, resembling a stylized umbrella or a shield with a cross-like shape in the middle.