



# PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET2403A

HOLDER OF CERTIFICATE:  
**Nefab Packaging Norway AS**

350 kg max

**MANUFACTURER:**

Nefab Packaging Sweden AB, Nordgrens väg 5, SE-822  
81 Alfå, Sweden

**MARKING ON PACKAGING:**

 **50D/Y/MMY/N/NET2403A - ID/630/350**

"MMYY" to be replaced with the month and year (two last digits) of the manufacture.

"ID" to be replaced by the name or symbol of the manufacturer.



**PRODUCT:**

Packaging code	Description	Drawings	Material
4D, Plywood boxes	With reinforced edges and pallet feet	347985-000 Rev.B	Plywood 6 layer / steel / wood

**CLOSING MECHANISM:**

Lid	Producer	Drawings	Material
Fixed with steel hinge clips	Nefab Packaging Sweden AB	347985-000 Rev.B	Plywood 6 layer / steel

**FIXTURES:**

Type	Description	Material
Antistatic ethafoam	17.5 mm thick	Polyethylen
Interior	Details in report	Pine



# DIMENSIONS:

Volume, l	Length, mm	Width, mm	Height, mm
2081	1815	1315	872

# APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

# REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

# APPROVAL IS VALID FOR:

The packaging shall always be used according to the requirements of the applicable UN-code and packaging instruction LP903.

Content	Max. gross weight, kg
Litium Ion Batteries in equipment, UN 3481, packed in accordance with the instruction of packaging, provided by the certificate holder.	350

# DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET2403A	18.03.2020	NET	Type approval

# TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001.

The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

27.03.2020 CERTIFICATE IS VALID UNTIL:

31.03.2025

A handwritten signature in blue ink, reading 'Geir M. Johansen'.

Geir Morten Johansen  
Certification Officer

A handwritten signature in blue ink, reading 'Rune Madsen Fink'.

Rune Madsen Fink  
Control Officer

*Nordisk Emballasje Testing AS Certification*

A large, faint, light blue background logo in the center of the page, resembling a stylized umbrella or a shield with a cross-like shape in the middle.