




PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET6601A

HOLDER OF CERTIFICATE:
RPC Promens Bjæverskov AS

MANUFACTURER: RPC Promens Bjæverskov AS, Industrivej 3, DK-4632 Bjæverskov, Denmark


MARKING ON PACKAGING:  **3H1/Y1.6/150/YR/N/NET6601A - ID**
"YR" to be replaced with the two last digits of the year.
"ID" to be replaced by any identification as decided by the manufacturer.
The packaging shall also be appropriately marked with the month of the manufacture.

PRODUCT:

Packaging code	Description	Drawings	Material
3H1, Plastics jerricans	non-removable head	Promens_5_5L	Sabic ICP5602
3H1, Plastics jerricans	non-removable head	Promens_5L	Sabic ICP5602

CLOSING MECHANISM:

#: Closure type	Producer	Drawings	Material	Gasket	Torque Nm
1: Screw cap	Promens Packaging Ltd	V 6125-OV	Hostalen ACP 5331 A	PTFE/EPE 200/PET	20
2: Screw cap	BERICAP GmbH	ENG-00-008695	Rigidex HD5050EA	ALKOzell 300	20
3: Screw cap	BERICAP GmbH	ENG-00-057347	Rigidex HD5050EA	Pulp TT2-562	20





DIMENSIONS:

Packaging weight, g	Volume, l	Height, mm	Width, mm	Length, mm	Neck size, mm
326.9 - 349.2	5.5	265	150	193	61
311.0 - 332.1	5.0	246	150	193	61

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

NET issues the certification on described product according to an agreement between Norwegian Civil Aviation Authority (Luftfartstilsynet) - 01.03.18 - 18/00114-8.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO, Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA, Dangerous Goods Regulations, for the air transport.

APPROVAL IS VALID FOR:

The packaging is valid for packaging group II and III containing liquid substances that do not adversely affect the packaging materials. Compatibility testing has been carried out according to ADR/RID with the content listed below:

Content	Max. relative density	Max. vapour pressure, kPa at +50°C
Water	1.6	142
Acetic acid	1.1	142

DOCUMENTS BASED UPON FOR APPROVAL:

Report id.	Date	Issued by	Scope
NET6601A-1	25.02.2013	NET	Technical evaluation
NET6601A	25.02.2011	NET	Type approval
G-10.293/p.9of11	13.11.2013	BVI	Selective testing

NET6601B	05.05.2015	NET	Type approval
----------	------------	-----	---------------

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



BREVIK, NORWAY

02.04.2015 CERTIFICATE IS VALID UNTIL:

31.05.2020


Susanne E. Dahlberg
Certification Officer



Rune Madsen Fink
Control Officer

Nordisk Emballasje Testing AS Certification