



PRODUCT APPROVAL OF PACKAGING FOR TRANSPORTATION OF DANGEROUS GOODS CERTIFICATE NO.: NET11602A

HOLDER OF CERTIFICATE:

ALOREM SAS

4122 kg max

MANUFACTURER:

ALOREM SAS 350 Route de Thil - 01700 Beynost, France



MARKING ON PACKAGING:

(h) 31A/Y/MMYY/N/NET11602A - ID/7420/KG1

"MMYY" to be replaced with the month and year (last two digits) of manufacture.

"ID" to be replaced by the name or symbol of the manufacturer.

"KG1" to be replaced by Max. gross weight in kg from table on page 3.

The packaging shall also be appropriately marked in accordance with ADR 6.5.2.2.



PRODUCT:

Packaging code	Description	Material
31A	Steel IBCs, for liquids	Steel



CLOSING MECHANISM:

Closure type	Producer	Drawings	Material	Gasket	Torque, Nm
Main Cap	Mintor S.r.l.	Bouchon G3-F	S235	Gumo plast	55
		avec bras		Rubber	
Bung	Goshe	1116	Steel	-	
Top gasket	Gumo plast	-	Rubber	-	
Plug 3"	BIS	-	Galvanized iron	-	
Plug 2"	BIS	-	Galvanized iron	-	
Plug 1 1/4 "	BIS	-	Galvanized iron	-	
Plug 1"	Gebo	-	Galvanized iron	-	
Manhole cover	ALOREM SAS	RF30	Steel	Gumo plast	70
				Rubber	
Manhole cover	ALOREM SAS	RF30-035	S235	Gumo plast	100
on Adblue tank				Rubber	

NET11602A Page 1 of 3

Telephone +47 900 17025

E-mail: <u>info@net17025.com</u>

Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



ACCESSORIES:

Туре	Description / Drawing	Producer	
Electric vane pump	Viscomat 70	Piusi	
Electric vane pump	Viscomat 90	Piusi	
Electric pump	Panther 56	Piusi	
Electric pump	Panther 72	Piusi	
Electric pump	Panther 90	Piusi	
level indicator	Magnetic liquid-level gauge	Rochester Gauges	
Adblue tank	90 Liter	ALOREM SAS	
Adblue tank	200 Liter	ALOREM SAS	
Adblue tank	290 Liter	ALOREM SAS	
Breather cap	Breather plug with double valve	Mintor S.r.I.	
	tilt-function		
Protection cover 1240 x 980 mm	RF30	ALOREM SAS	
Eye for top lift, 1	RF30T-103-M1	ALOREM SAS	
Eye for top lift, 2	RF30T-105-XM2	ALOREM SAS	
Eye for top lift, 3	RF104-XM2	ALOREM SAS	

DIMENSIONS:

IBC#: Volume, I	Tare weight, kg	Length, mm	width, mm	Height, mm	Drawing
1: 3000	1050	2297	1555	1296	RF30
2: 2610	1122	2297	1555	1296	RF30-035
+ 290 Adblue					

APPROVAL:

The certificate is valid for a maximum of five years, provided no modifications have been made to the packaging design, materials, dimensions, closure system or manner of construction. To ensure validation of the certificate, check the NET website.

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations for Transportation of Dangerous Goods on road and railway - 06/6950-7/BJRU.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) - 200705977-4/5367.1.

REGULATIONS BASED UPON FOR APPROVAL:

UN Recommendations on the Transport of Dangerous Goods.

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

Telephone +47 900 17025 E-mail: <u>info@net17025.com</u> Web: <u>www.net17025.com</u>

VAT No.: 990 793 840 Bank account: 6250.05.22351 GPS: 59°03'25" N 9°40'70" E



APPROVAL IS VALID FOR:

The IBC is valid for packaging group II and III containing liquid that do not adversely affect the packaging materials.

The IBC shall always be used according to the requirements of the applicable UN-code and its packaging

The following test are performed and approved: Top- and bottom lift test, stacking-drop-, leakness-, internal pressure- and vibration test.

IBC#: Content	Max. relative density	KG1, Max. gross mass	Pressure test, kPa
1: Liquids	1.0	4050	200
2: Liquids	1.0	4022	200

DOCUMENTS BASED UPON FOR APPROVAL:

2 0 0 0 1 1 1 1 0 1 2 1 0 1 0 1 1 1 1 1				
Report id.	Date	Issued by	Scope	
NET1402A	06.07.2018	NET	Type approval	
S-03516-18	06.07.2018	Eurofins Ltd	Vibration testing	
NET14TE02	13.08.2018	NET	Technical evaluation	
NET14T01	25.05.2019	NET	Additional test, lift eyes	
NET116TE01	19.06.2020	NET	Type approval	

TEST STANDARD:

All tests are performed in accordance with NET accredited test method ATM001. The test method is accredited in accordance with ISO17025 approved by Norsk Akkreditering and based upon ISO16495.



PORSGRUNN, NORWAY

Gai M. Joha

25.06.2020 CERTIFICATE IS VALID UNTIL:

30.06.2025

Geir Morten Johansen Certification Officer

Control Officer

Nordisk Emballasje Testing AS Certification

Telephone +47 900 17025 VAT No.: 990 793 840 E-mail: info@net17025.com Bank account: 6250.05.22351 Web: www.net17025.com GPS: 59°03'25" N 9°40'70" E